

# Verifying Nondeterministic Probabilistic Channel Systems against $\omega$ -Regular Linear-Time Properties

CHRISTEL BAIER

Universität Bonn, Institut für Informatik I  
and

NATHALIE BERTRAND and PHILIPPE SCHNOEBELEN  
CNRS and ENS Cachan

---

Lossy channel systems (LCS's) are systems of finite state processes that communicate via unreliable unbounded fifo channels. We introduce NPLCS's, a variant of LCS's where message losses have a probabilistic behavior while the component processes behave nondeterministically, and study the decidability of qualitative verification problems for  $\omega$ -regular linear-time properties.

We show that—in contrast to finite-state Markov decision processes—the satisfaction relation for linear-time formulas depends on the type of schedulers that resolve the nondeterminism. While the qualitative model checking problem for the full class of history-dependent schedulers is undecidable, the same question for finite-memory schedulers can be solved algorithmically. Additionally, some special kinds of reachability, or recurrent reachability, qualitative properties yield decidable verification problems for the full class of schedulers, which—for this restricted class of problems—are as powerful as finite-memory schedulers, or even a subclass of them.

Categories and Subject Descriptors: C.2.2 [**Computer-Communication Networks**]: Network Protocols—*Protocol verification*; D.2.4 [**Software Engineering**]: Software/Program Verification—*Model checking*; G.3 [**Mathematics of Computing**]: Probability and Statistics—*Markov processes*; F.1.1 [**Computation by Abstract Devices**]: Models of Computation

General Terms: Verification, Theory

Additional Key Words and Phrases: Communication protocols, lossy channels, Markov decision processes, probabilistic models

---

This research was supported by Persée, a project of the ACI Sécurité Informatique; by PROBPORE, and by VOSS, a DFG-NWO-project.

Authors' addresses: C. Baier, Universität für Informatik, Römerstr. 164, D-53117 Bonn, Germany; N. Bertrand and P. Schnoebelen, Laboratoire Spécification et Vérification, ENS Cachan, 61 av. Pdt Wilson, F-94230 Cachan, France.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or direct commercial advantage and that copies show this notice on the first page or initial screen of a display along with the full citation. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers, to redistribute to lists, or to use any component of this work in other works requires prior specific permission and/or a fee. Permissions may be requested from Publications Dept., ACM, Inc., 2 Penn Plaza, Suite 701, New York, NY 10121-0701 USA, fax +1 (212) 869-0481, or [permissions@acm.org](mailto:permissions@acm.org). © 2007 ACM 1529-3785/2007/12-ART5 \$5.00 DOI 10.1145/1297658.1297663 <http://doi.acm.org/10.1145/1297658.1297663>

ACM Transactions on Computational Logic, Vol. 9, No. 1, Article 5, Publication date: December 2007.

**ACM Reference Format:**

Baier, C., Bertrand, N., and Schnoebelen, P. 2007. Verifying nondeterministic probabilistic channel systems against  $\omega$ -regular linear-time properties. *ACM Trans. Comput. Logic*, 9, 1, Article 5 (December 2007), 41 pages. DOI = 10.1145/1297658.1297663 <http://doi.acm.org/10.1145/1297658.1297663>

---

## 1. INTRODUCTION

Channel systems [Brand and Zafiropulo 1983] are systems of finite-state components that communicate via asynchronous unbounded fifo channels. See Figure 1 for an example of a channel system with two components  $E_1$  and  $E_2$  that communicate through fifo channels  $c_1$  and  $c_2$ . *Lossy channel systems* [Finkel 1994; Abdulla and Jonsson 1996b] are a special class of channel systems where messages can be lost while they are in transit, without any notification. Considering lossy systems is natural when modeling fault-tolerant protocols where the communication channels are not supposed to be reliable. Additionally, the lossiness assumption makes termination and safety properties decidable [Pachl 1987; Finkel 1994; Cécé et al. 1996; Abdulla and Jonsson 1996b]. Several important verification problems are undecidable for these systems, including recurrent reachability, liveness properties, boundedness, and all behavioral equivalences [Abdulla and Jonsson 1996a; Schnoebelen 2001; Mayr 2003]. Furthermore, the previously mentioned decidable problems cannot be solved in primitive-recursive time [Schnoebelen 2002].

*Verifying Liveness Properties.* Lossy channel systems are a convenient model for verifying safety properties of asynchronous protocols, and such verifications can sometimes be performed automatically [Abdulla et al. 2004]. However, they are not so adequate for verifying liveness properties. A first difficulty here is the undecidability of liveness properties.

A second difficulty is that the model itself is too pessimistic when liveness is considered. Protocols that have to deal with unreliable channels usually have some coping mechanisms combining resends and acknowledgments. But, without any assumption limiting message losses, no such mechanism can ensure that some communication will eventually be initiated. The classical solution to this problem is to add some fairness assumptions on the channel message losses, for example, “If infinitely many messages are sent through the channels, infinitely many of them will not be lost.” However, fairness assumptions in lossy channel systems make decidability more elusive [Abdulla and Jonsson 1996a; Masson and Schnoebelen 2002].

*Probabilistic Losses.* When modeling protocols, it is natural to see message losses as some kind of faults having a probabilistic behavior. Following this idea, Purushothaman Iyer and Narasimha [1997] introduced the first Markov chain model for lossy channel systems, where message losses (and other choices) are probabilistic. In this model, verification of qualitative properties is decidable when message losses have a high probability [Baier and Engelen 1999] and undecidable otherwise [Abdulla et al. 2005a]. An improved model was




Fig. 1. A channel system:  $E_1$  and  $E_2$  communicate through channels  $c_1$  and  $c_2$ .

later introduced by Abdulla et al. [2005b], where the probability of losses is modeled more faithfully and where qualitative verification (and approximate quantitative verification [Rabinovich 2003]) is decidable independently of the likelihood of message losses. See the survey by Schnoebelen [2004] for more details.

These models are rather successful in bringing back decidability. However, they assume that the system is *fully probabilistic*; that is, the choice between different actions is made probabilistically. But when modeling channel systems, *nondeterminism* is an essential feature. It is used to model the interleaved behavior of distributed components, to model an unknown environment, to delay implementation choices at early stages of the design, and to abstract away from complex control structures at later stages.

*Our Contribution.* We introduce *Nondeterministic Probabilistic Lossy Channel Systems (NPLCS)*, a new model where channel systems behave nondeterministically while messages are lost probabilistically, and for which the operational semantics is given via *infinite-state Markov decision processes*. For these NPLCS's, we study the decidability of qualitative  $\omega$ -regular linear-time properties. We focus here on “control-based” properties, that is, temporal formulas where the control locations of the given NPLCS serve as atomic propositions.

There are eight variants of the qualitative verification problem for a given  $\omega$ -regular property  $\varphi$  and a starting configuration  $s$ , that arise from

- the four types of whether  $\varphi$  should hold almost surely (that is, with probability 1), with positive probability, with zero probability or with probability less than 1
- existential or universal quantification over all schedulers, that is, instances that resolve the nondeterministic choices.

By duality of existential and universal quantification, it suffices to consider the four types of probabilistic satisfaction and one variant of quantification (existential or universal). We deal with the case of existential quantification since it is technically more convenient.

Our main results can be summarized as follows. First, we present algorithms for reachability properties stating that a certain set of locations will eventually be visited. We then discuss repeated reachability properties. While repeated reachability problems with the three probabilistic satisfaction relations “almost surely,” “with zero probability,” and “with probability less than 1” can be solved algorithmically, the question whether a certain set of locations can be visited

infinitely often “with positive probability” under some scheduler is undecidable. It appears that this is because schedulers are very powerful (e.g., they need not be recursive). In order to recover decidability without sacrificing too much of the model, we advocate restricting oneself to finite-memory schedulers, and show this restriction makes the qualitative model checking problem against  $\omega$ -regular properties decidable for NPLCS’s.

This article is partly based on, and extends, material presented in Bertrand and Schnoebelen [2003, 2004]. However, an important difference with this earlier work is that the NPLCS model we use does not require the presence of idling steps (see Remark 2.3 below). This explains why some of the results presented here differ from those in Bertrand and Schnoebelen [2003, 2004].

*Outline of the Article.* Section 2 introduces probabilistic lossy channel systems and their operational semantics. Section 3 establishes some fundamentals properties, leading to algorithms for reachability and repeated reachability problems (in Section 4). Section 5 shows that some repeated reachability problems are undecidable and contains other lower-bound results. Section 6 shows decidability for problems where attention is restricted to finite-memory schedulers, and Section 7 shows how positive results for Streett properties generalize to arbitrary  $\omega$ -regular properties. Finally, Section 8 concludes the article.

## 2. NONDETERMINISTIC PROBABILISTIC CHANNEL SYSTEMS

*Lossy channel systems.* A lossy channel system (a LCS) is a tuple  $\mathcal{L} = (Q, \mathbf{C}, \mathbf{M}, \Delta)$  consisting of a finite set  $Q = \{p, q, \dots\}$ , of control *locations* (also called *control states*), a finite set  $\mathbf{C} = \{c, \dots\}$  of *channels*, a finite *message alphabet*  $\mathbf{M} = \{m, \dots\}$ , and a finite set  $\Delta = \{\delta, \dots\}$  of *transition rules*. Each transition rule has the form  $q \xrightarrow{op} p$  where *op* is an *operation* of the form

- $c!m$  (sending message  $m$  along channel  $c$ ),
- $c?m$  (receiving message  $m$  from channel  $c$ ),
- $\surd$  (an internal action to some process, no I/O-operation).

The *control graph* of  $\mathcal{L}$  is the directed graph having the locations of  $\mathcal{L}$  as its nodes and rules from  $\Delta$  for its edges. It is denoted with  $Graph(Q)$ , and more generally  $Graph(A)$  for  $A \subseteq Q$  denotes the control graph restricted to locations in  $A$ .

Our introductory example in Figure 1 is turned into a LCS by replacing the two finite-state communicating agents  $E_1$  and  $E_2$  by the single control automaton one obtains with the asynchronous product  $E_1 \times E_2$ .

*Operational Semantics.* Let  $\mathcal{L} = (Q, \mathbf{C}, \mathbf{M}, \Delta)$  be a LCS. A *configuration*, also called *global state*, is a pair  $(q, w)$ , where  $q \in Q$  is a location and  $w : \mathbf{C} \rightarrow \mathbf{M}^*$  is a channel valuation that associates with any channel its content (a sequence of messages). We write  $\mathbf{M}^{*\mathbf{C}}$  for the set of all channel valuations, or just  $\mathbf{M}^*$  when  $|\mathbf{C}| = 1$ . The set  $Q \times \mathbf{M}^{*\mathbf{C}}$  of all configurations is denoted by  $\text{Conf}$ . With abuse of notations, we shall use the symbol  $\varepsilon$  for both the empty word and the channel valuation where all channels are empty. If  $s = (q, w)$  is a configuration then we write  $|s|$  for the total number of messages in  $s$ , that is,  $|s| = |w| = \sum_{c \in \mathbf{C}} |w(c)|$ .

We say that a transition rule  $\delta = q \xrightarrow{op} p$  is *enabled* in configuration  $s = (r, w)$  iff

- (1) the current location is  $q$ ; that is,  $r = q$ , and
- (2) performing  $op$  is possible. This may depend on the channels contents: sending and internal actions are always enabled, while a receiving  $c?m$  is only possible if the current content of channel  $c$  starts with the message  $m$ , that is, if the word  $w(c)$  belongs to  $mM^*$ .

For  $s$  a configuration, we write  $\Delta(s)$  for the set of transition rules that are enabled in  $s$ .

When  $\delta = p \xrightarrow{op} q$  is enabled in  $s = (q, w)$ , firing  $\delta$  yields a configuration  $s' = (p, op(w))$ , where  $op(w)$  denotes the new contents after executing  $op$ :

- if  $op = \surd$ , then  $op(w) = w$ ,
- if  $op = c!m$ , then  $op(w)(c) = w(c)m$ , and  $op(w)(c') = w(c')$  for  $c \neq c'$ ,
- if  $op = c?m$  (and then  $w(c)$  is some  $m\mu$  since  $\delta$  was enabled), then  $op(w)(c) = \mu$ , and  $op(w)(c') = w(c')$  for  $c \neq c'$ .

We write  $s \xrightarrow{\delta}_{\text{perf}} s'$  when  $s'$  is obtained by firing  $\delta$  in  $s$ . The “perf” subscript stresses that the step is perfect: no messages are lost.

However, in lossy systems, arbitrary messages can be lost. This is formalized with the help of the subword ordering: we write  $\mu \sqsubseteq \mu'$  when  $\mu$  is a subword of  $\mu'$ , that is,  $\mu$  can be obtained by removing any number of messages from  $\mu'$ , and we extend this to configurations, writing  $(q, w) \sqsubseteq (q', w')$  when  $q = q'$  and  $w(c) \sqsubseteq w'(c)$  for all  $c \in \mathbf{C}$ . By Higman’s Lemma,  $\sqsubseteq$  is a well-quasi-order between configurations of  $\mathcal{L}$  [Abdulla et al. 2000; Finkel and Schnoebelen 2001].

Now, we define lossy steps by letting  $s \xrightarrow{\delta} s''$  whenever there is a perfect step  $s \xrightarrow{\delta}_{\text{perf}} s'$  such that  $s'' \sqsubseteq s'$ .<sup>1</sup> This gives rise to a labeled transition system  $LTS_{\mathcal{L}} \stackrel{\text{def}}{=} (\text{Conf}, \Delta, \rightarrow)$ . Here the set  $\Delta$  of transition rules serves as action alphabet.

*Remark 2.1.* In the following we only consider LCS’s where, for any location  $q \in \mathbf{Q}$ ,  $\Delta$  contains at least one rule  $q \xrightarrow{op} p$  where  $op$  is not a receive operation. This ensures that  $LTS_{\mathcal{L}}$  has no terminal configuration, where no rules are enabled.

*Notation 2.2 (Arrow-notations).* Let  $s, t \in \text{Conf}$  be configurations. We write  $s \rightarrow t$  if  $s \xrightarrow{\delta} t$  for some  $\delta$ . As usual,  $\xrightarrow{+}$  (resp.  $\xrightarrow{*}$ ) denotes the transitive (resp. reflexive and transitive) closure of  $\rightarrow$ . Let  $\rightsquigarrow$  be  $\rightarrow$ ,  $\xrightarrow{*}$  or  $\xrightarrow{+}$ . For  $T \subseteq \text{Conf}$ , we write  $s \rightsquigarrow T$  when  $s \rightsquigarrow t$  for some  $t \in T$ . When  $X \subseteq \mathbf{Q}$  is a set of locations  $s \rightsquigarrow X$  means that  $s \rightsquigarrow (x, w)$  for some  $x \in X$  (and for some  $w$ ).

<sup>1</sup>Note that, with this definition, message losses can only occur after perfect steps (thus, not in the initial configuration). This is usual for probabilistic models of LCS’s, while nondeterministic models of LCS’s usually allow losses both before and after perfect steps. In each setting, the chosen convention is the one that is technically smoother, and there are no real semantic differences between the two.

We also use a special notation for *constrained reachability*:  $s \xrightarrow{*}_{[X]} t$  means that there is a sequence of steps going from configuration  $s$  to  $t$  and *visiting only locations from  $X$* , including at the two extremities  $s$  and  $t$ . With  $s \xrightarrow{*}_{(X)} t$  we mean that the constraint does not apply to the last configuration. Hence  $s \xrightarrow{*}_{(X)} s$  is always true, even with empty  $X$ . The following equivalence links the two notions:

$$s \xrightarrow{*}_{(X)} t \text{ iff } [s = t \text{ or } \exists s'(s \xrightarrow{*}_{[X]} s' \text{ and } s' \rightarrow t)].$$

We recall that in LCS's the following constrained reachability questions: “given  $s, t$  two configurations,  $X \subseteq Q$  and  $\sim \in \{\rightarrow, \xrightarrow{*}, \xrightarrow{+}\}$  does  $s \sim_{[X]} t$  (or  $s \sim_{(X)} t$ )?” are decidable [Abdulla and Jonsson 1996b; Schnoebelen 2002].

*The MDP-semantics.* Following Bertrand and Schnoebelen [2003, 2004], we define the operational behavior of a LCS by an infinite-state Markov decision process. A NPLCS<sup>2</sup>  $\mathcal{N} = (\mathcal{L}, \tau)$  consists of a LCS  $\mathcal{L}$  and a *fault rate*  $\tau \in (0, 1)$  that specifies the probability that a given message stored in one of the message queues is lost during a step. In the sequel, for  $w, w' \in M^{*C}$ , we let  $\mathbf{P}_{lost}(w, w')$  denote the probability that channels containing  $w$  change to  $w'$  within a single step as a result of message losses. This requires losing  $|w| - |w'|$  message at the right places. Formally, we let

$$\mathbf{P}_{lost}(w, w') \stackrel{\text{def}}{=} \tau^{|w|-|w'|} \cdot (1 - \tau)^{|w'|} \cdot \binom{w}{w'}, \quad (1)$$

where the combinatorial coefficient  $\binom{w}{w'}$ , is the number of different embeddings of  $w'$  in  $w$ . For instance, in the case where  $w = aaba$ , one has


$$\begin{aligned} \binom{aaba}{a} &= \binom{aaba}{aa} = 3, & \binom{aaba}{aba} &= \binom{aaba}{ab} = 2, \\ \binom{aaba}{w'} &= 1 & \text{if } w' &\in \{\varepsilon, b, aaa, aab, ba, aaba\} \end{aligned}$$

and  $\binom{aaba}{w'} = 0$  in all other cases. Note that, for example,  $w' = aa$  can be obtained from  $w = aaba$  in three different ways (by removing the  $b$  and either the first, second or third  $a$ ), while  $w' = ba$  is obtained from  $w$  in a unique way (by removing the first two  $a$ 's). See Abdulla et al. [2005b] for more details. Here, it is enough to know that  $\binom{w}{w'} \neq 0$  iff  $w' \sqsubseteq w$  and that the probabilities add up to one: for all  $w$ ,  $\sum_{w'} \mathbf{P}_{lost}(w, w') = 1$ .

The Markov decision process associated with  $\mathcal{N}$  is  $MDP_{\mathcal{N}} \stackrel{\text{def}}{=} (\text{Conf}, \Delta, \mathbf{P}_{\mathcal{N}})$ . The stepwise probabilistic behavior is formalized by a three-dimensional transition probability matrix  $\mathbf{P}_{\mathcal{N}} : \text{Conf} \times \Delta \times \text{Conf} \rightarrow [0, 1]$ . For a given configuration  $s$  and a transition rule  $\delta$  that is enabled in  $s$ ,  $\mathbf{P}_{\mathcal{N}}(s, \delta, \cdot)$  is a distribution over the states in  $MDP_{\mathcal{N}}$ , while  $\mathbf{P}_{\mathcal{N}}(s, \delta, \cdot) = 0$  for any transition rule  $\delta$  that is not enabled in  $s$ . The intuitive meaning of  $\mathbf{P}_{\mathcal{N}}(s, \delta, t) = \lambda > 0$  is that with probability  $\lambda$ , the system moves from configuration  $s$  to configuration  $t$  when  $\delta$  is the

<sup>2</sup>The starting letter “N” in NPLCS serves to indicate that we deal with a semantic model where non-determinism and probabilities coexist, and thus, to distinguish our approach from interpretations of probabilistic lossy channel systems by Markov chains.




 Fig. 2. From a LCS  $\mathcal{L}$  to  $MDP_{\mathcal{L}}$ .

chosen transition rule in  $s$ . Formally, if  $s = (q, w)$ ,  $t = (p, w')$ , and  $\delta = q \xrightarrow{op} p$  is enabled in  $s$ , then

$$\mathbf{P}_{\mathcal{N}}(s, \delta, t) \stackrel{\text{def}}{=} \mathbf{P}_{lost}(op(w), w'). \quad (2)$$

See Figure 2 for an example where  $s = (q, ab)$  and  $\delta = q \xrightarrow{!b} p$ .

A consequence of (1) and (2) is that the labeled transition system underlying  $MDP_{\mathcal{L}}$  is exactly  $LTS_{\mathcal{L}}$ . Hence any path in  $MDP_{\mathcal{L}}$  is also a path in  $LTS_{\mathcal{L}}$  and the fact that  $LTS_{\mathcal{L}}$  had no terminal configuration implies that there is no terminal state in  $MDP_{\mathcal{L}}$ .

*Remark 2.3 (The idling MDP semantics).* The above definition of the MDP semantics for an NPLCS differs from the approach of Bertrand and Schnoebelen [2003, 2004] where each location  $q$  is assumed to be equipped with an implicit *idling* transition rule  $q \xrightarrow{\checkmark} q$ . This idling MDP semantics allows simplifications in algorithms, but it does not respect enough the intended liveness of channel systems (e.g., inevitability becomes trivial) and we do not adopt it here. Observe that the new approach is more general since idling rules are allowed at any location in  $\mathcal{L}$ .

*Schedulers (finite-memory, memoryless, blind and almost blind).* Before one may speak of the probabilities of certain events in an MDP, the nondeterminism has to be resolved by means of a scheduler, also often called adversary, policy or strategy. We will use the word “scheduler” for a *history-dependent deterministic scheduler* in the classification of Puterman [1994]. Formally, a scheduler for  $\mathcal{N}$  is a mapping  $\mathcal{U}$  that assigns to any finite path  $\pi$  in  $\mathcal{N}$  a transition rule  $\delta \in \Delta$  that is enabled in the last state of  $\pi$ .<sup>3</sup> Intuitively, the given path  $\pi$  specifies the history of the system, and  $\mathcal{U}(\pi)$  is the rule that  $\mathcal{U}$  chooses to fire next.

A scheduler  $\mathcal{U}$  only gives rise to certain paths in the MDP: we say  $\pi = s_1 \rightarrow s_2 \rightarrow \dots$  is *compatible with  $\mathcal{U}$*  or, shortly, is a  *$\mathcal{U}$ -path*, if  $\mathbf{P}_{\mathcal{N}}(s_n, \delta_n, s_{n+1}) > 0$  for

<sup>3</sup>As stated in Remark 2.1, we make the assumption that any configuration has at least one enabled transition rule.

all  $n \geq 1$ , where  $\delta_n = \mathcal{U}(s_1 \rightarrow \dots \rightarrow s_n)$  is the transition rule chosen by  $\mathcal{U}$  for the  $n$ -th prefix of  $\pi$ . In practice, it is only relevant to define how  $\mathcal{U}$  evaluates on  $\mathcal{U}$ -paths.

In general  $\mathcal{U}$  can be any function and, for example, it needs not be recursive. It is often useful to consider restricted types of schedulers. In this article, the two main types of restricted schedulers we use are *finite-memory schedulers*, which abstract the whole history into some finite-state information, and *blind schedulers*, which ignore the contents of the channels.

Formally, a *finite-memory scheduler* for  $\mathcal{N}$  is a tuple  $\mathcal{U} = (U, D, \eta, u_0)$  where  $U$  is a finite set of *modes*,  $u_0 \in U$  is the *starting mode*,  $D : U \times \text{Conf} \rightarrow \Delta$  is the *decision rule* which assigns to any pair  $(u, s)$  consisting of a mode  $u \in U$  and a configuration  $s$  a transition rule  $\delta \in \Delta(s)$ , and  $\eta : U \times \text{Conf} \rightarrow U$  is a *next-mode function* which describes the mode-changes of the scheduler. The modes can be used to store some relevant information about the history. In a natural way, a finite-memory scheduler can be viewed as a scheduler in the general sense: given a finite path  $\pi = s_0 \rightarrow s_1 \rightarrow \dots \rightarrow s_n$  in  $\mathcal{N}$ , it chooses  $D(u, s_n)$  where  $u = \eta(u_0, s_0 s_1 \dots s_n) = \eta(\dots \eta(\eta(u_0, s_0), s_1), \dots, s_n)$ .

A scheduler  $\mathcal{U}$  is called *memoryless* if  $\mathcal{U}$  is finite-memory with a single mode. Thus, memoryless schedulers make the same decision for all paths that end up in the same configuration. In this sense, they are not history-dependent and can be defined more simply via mappings  $\mathcal{U} : \text{Conf} \rightarrow \Delta$ .

By a *blind scheduler*, we mean a scheduler where the decisions depend only on the *locations* that have been passed, and not on the channel contents. Hence a blind scheduler never selects a reading transition rule. Observe that, since the probabilistic choices affect only channel contents (by message losses), all  $\mathcal{U}$ -paths generated by a blind  $\mathcal{U}$  visit the same locations in the same order. More formally, with any initial locations  $q_0$ , a blind scheduler can be seen as associating an infinite sequence  $q_0 \xrightarrow{op_1} q_1 \xrightarrow{op_2} q_2 \dots$  of chained transition rules and the  $\mathcal{U}$ -paths are exactly the paths of the form  $(q_0, w_0) \rightarrow (q_1, w_1) \rightarrow (q_2, w_2) \rightarrow \dots$  with  $w_i \sqsubseteq op_i(w_{i-1})$  for all  $i > 0$ .

A scheduler is called *almost blind* if it almost surely eventually behaves blindly. Formally,  $\mathcal{U}$  is almost blind iff there exists a scheduler  $\mathcal{W}$  and a blind scheduler  $\mathcal{V}$  such that for all configurations  $s$  and for almost all (see the following) infinite  $\mathcal{U}$ -paths  $\pi = s_1 \rightarrow s_2 \rightarrow \dots$  with  $s = s_1$ , there exists an index  $n \geq 0$  such that

- $\mathcal{U}(s_1 \rightarrow \dots \rightarrow s_i) = \mathcal{W}(s_1 \rightarrow \dots \rightarrow s_i)$  for all indices  $i \leq n$  and
- $\mathcal{U}(s_1 \rightarrow \dots \rightarrow s_i) = \mathcal{V}(s_1 \rightarrow \dots \rightarrow s_i)$  for all indices  $i > n$ .

Here and in the sequel, the formulation “almost all paths have property  $x$ ” means that the paths where property  $x$  is violated are contained in some measurable set of paths that has probability measure 0. The underlying probability space is the standard one (briefly explained in the following).

*Stochastic process.* Given an NPLCS  $\mathcal{N}$  and a scheduler  $\mathcal{U}$ , the behavior of  $\mathcal{N}$  under  $\mathcal{U}$  can be formalized by an infinite-state Markov chain  $MC_{\mathcal{U}}$ . For arbitrary schedulers, the states of  $MC_{\mathcal{U}}$  are finite paths in  $\mathcal{N}$ . Intuitively, such a finite path



$\pi = s_1 \rightarrow \dots \rightarrow s_{n-1} \rightarrow s_n$  represents configuration  $s_n$ , while  $s_1 \rightarrow \dots \rightarrow s_{n-1}$  stand for the history how configuration  $s_n$  was reached.<sup>4</sup> If  $\pi$  is a finite path ending in configuration  $s$ , and  $\pi' = \pi \rightarrow t$  is  $\pi$  followed by step  $s \rightarrow t$ , then the probability  $\mathbf{P}_{\mathcal{U}}(\pi, \pi')$  in  $MC_{\mathcal{U}}$  is defined with  $\mathbf{P}_{\mathcal{U}}(\pi, \pi') \stackrel{\text{def}}{=} \mathbf{P}_{\mathcal{N}}(s, \mathcal{U}(\pi), t)$ , according to the chosen rule  $\mathcal{U}(\pi)$ . In all other cases  $\mathbf{P}_{\mathcal{U}}(\pi, \pi') = 0$ . We now may apply the standard machinery for Markov chains and define (for fixed starting configuration  $s$ ) a sigma-field on the set of infinite paths starting in  $s$  and a probability measure on it [Kemeny et al. 1966; Puterman 1994; Panangaden 2001]. We shall write  $\text{Pr}_{\mathcal{U}}(s \models \dots)$  to denote the standard probability measure in  $MC_{\mathcal{U}}$  with starting state  $s$ .

For  $\mathcal{U}$  a finite-memory scheduler, we can think of the states in  $MC_{\mathcal{U}}$  as pairs  $(u, s)$  consisting of a mode  $u$  and a configuration  $s$ . In the sequel, we will write  $s_u$  rather than  $(u, s)$  as the intuitive meaning of  $(u, s)$  is “configuration  $s$  in mode  $u$ .” For finite-memory schedulers the successor-states of  $s_u$  and their probabilities in  $MC_{\mathcal{U}}$  are given by the MDP for  $\mathcal{N}$  in configuration  $s$  and the chosen transition rule for  $s_u$ . That is, if  $\mathcal{U}$  is some  $(U, D, \eta, u_0)$ , we have  $\mathbf{P}_{\mathcal{U}}(s_u, t_{\eta(u,s)}) \stackrel{\text{def}}{=} \mathbf{P}_{\mathcal{N}}(s, D(u, s), t)$ , and if  $u' \neq \eta(u, s)$  then  $\mathbf{P}_{\mathcal{U}}(s_u, t_{u'}) = 0$ . In a similar way, we can think of the Markov chains for memoryless or blind schedulers in a simpler way. For memoryless schedulers, the configurations of  $\mathcal{N}$  can be viewed as states in the Markov chain  $MC_{\mathcal{U}}$ , while for blind schedulers we may deal with finite words over  $Q$  complemented with some current channel contents.

*LTL-notation.* Throughout the article, we assume familiarity with linear temporal logic (LTL) [Emerson 1990]. We use simple LTL formulas to denote properties of paths in  $MDP_{\mathcal{L}}$ . Here configurations and locations serve as atomic propositions: for example  $\square \diamond s$  (resp.  $\square \diamond x$ ) means that  $s \in \text{Conf}$  (resp.  $x \in Q$ ) is visited infinitely many times along a path, and  $x \text{ Until } s$  means that the control state remains  $x$  until  $s$  is eventually reached. These notations extend to sets:  $\square \diamond T$  and  $\square \diamond A$  for  $T \subseteq \text{Conf}$  and  $A \subseteq Q$  with obvious meanings. For  $A \subseteq Q$ ,  $A_{\varepsilon}$  is the set  $\{(q, \varepsilon) : q \in A\}$  so that  $\diamond Q_{\varepsilon}$  means that eventually a configuration with empty channels is reached. It is well known that for any scheduler  $\mathcal{U}$ , the set of paths starting in some configuration  $s$  and satisfying an LTL formula, or an  $\omega$ -regular property,  $\varphi$  is measurable [Vardi 1985; Courcoubetis and Yannakakis 1995]. We write  $\text{Pr}_{\mathcal{U}}(s \models \varphi)$  for this measure.

*Finite attractor.* The crucial point for the algorithmic analysis of NPLCS is the fact that almost surely, a configuration where all channels are empty will be visited infinitely often. If  $\mathcal{U}$  is a scheduler and  $T$  a set of configurations then  $T$  is called an attractor for  $\mathcal{U}$  iff  $\text{Pr}_{\mathcal{U}}(s \models \square \diamond T) = 1$  for any starting configuration  $s$ .

**PROPOSITION 2.4 (FINITE-ATTRACTOR PROPERTY FOR ARBITRARY SCHEDULERS).** *For any scheduler  $\mathcal{U}$ , the set  $Q_{\varepsilon} = \{(q, \varepsilon) : q \in Q\}$  is a finite attractor for  $\mathcal{U}$ .*

<sup>4</sup>One often uses informal but convenient formulations such as “scheduler  $\mathcal{U}$  is in configuration  $s$ ”, which means that a state  $\pi$  in the chain  $MC_{\mathcal{U}}$ , that is, a finite path in  $\mathcal{N}$ , is reached where the last configuration is  $s$ .

That is, almost all paths in  $MC_{\mathcal{U}}$  visit  $Q_{\varepsilon}$  infinitely often, independent on the starting state. We refer to Bertrand and Schnoebelen [2003] and Baier et al. [2006] for formal proofs. An intuitive explanation of the result is that when the channels contain  $n$  messages, each step can only add at most one new message (through a sending action) while on average  $n \times \tau$  are lost. Thus when  $n$  is large, it tends to decrease and this suffices to ensure that almost surely all messages will be lost.

### 3. SAFE SETS AND PROMISING SETS

At many places, our arguments use the notion of “safe sets” and “promising sets” of locations. In this section we define these notions, relate them to behavioral features, and explain how to compute them.

#### 3.1 Safe Sets

*Definition 3.1.* Let  $\mathcal{L} = (Q, C, M, \Delta)$  be a lossy channel system and  $A \subseteq Q$  be a set of locations. We say that  $X \subseteq Q$  is *safe* for  $A$  if  $X \subseteq A$  and  $(x, \varepsilon) \rightarrow X$  for all  $x \in X$ .

Assume  $A \subseteq Q$ . It is easy to see that if  $X$  and  $Y$  are both safe for  $A$ , then  $X \cup Y$  is safe for  $A$  too. The same holds for infinite unions. As a consequence, the largest safe set for  $A$  exists (union of all safe sets); it is denoted by  $Safe(A)$ , or  $Safe$  when there is no ambiguity on  $A$ .

Observe that for any family  $(A_i)_{i \in I}$  of sets of locations, one has the following inclusions

$$Safe\left(\bigcup_{i \in I} A_i\right) \supseteq \bigcup_{i \in I} Safe(A_i) \quad Safe\left(\bigcap_{i \in I} A_i\right) \subseteq \bigcap_{i \in I} Safe(A_i) \quad (3)$$

while the reverse inclusions do not hold in general.

$Safe(A)$  can be computed in linear time: consider  $Graph(A)$  the control graph restricted to locations of  $A$ . Remove from  $Graph(A)$  the edges that carry receiving operations “ $c?m$ .” The nodes that have no outgoing edges cannot be in  $Safe(A)$ : remove them with their incoming edges. This may create new nodes with no outgoing edges that have to be removed iteratively. After each iteration, the remaining nodes are a superset of  $Safe(A)$ . When the process eventually terminates, what remains is exactly  $Safe(A)$ . Indeed the remaining nodes form a safe set  $X$ : from every  $x \in X$  there is an outgoing edge  $x \xrightarrow{op} y$  where  $op$  is not a receiving, hence  $(x, \varepsilon) \xrightarrow{op} X$ .

The following lemma justifies the terminology “safe” and will be very useful in the sequel.

**LEMMA 3.2.** *There exists a blind and memoryless scheduler  $\mathcal{U}$  s.t. for all  $x \in Safe(A)$  and all  $w \in M^{*C}$ ,  $\Pr_{\mathcal{U}}((x, w) \models \Box A) = 1$ .*

**PROOF.** Let us describe the scheduler  $\mathcal{U}$  satisfying  $\Box A$  with probability 1. For each  $x \in Safe(A)$  fix a rule  $\delta_x : x \xrightarrow{op} y$  enabled in  $(x, \varepsilon)$  and with  $y \in Safe(A)$ . One such rule must exist by definition of  $Safe(A)$ . Because  $y$  is in  $Safe$ ,  $\mathcal{U}$  can go on with  $\delta_y$ , etc... Note that the rules used by  $\mathcal{U}$  do not depend on the channels

contents but only on the locations: this scheduler  $\mathcal{U}$  is memoryless and blind. The fact that  $\mathcal{U}$  fulfills the requirement  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \Box A) = 1$  comes for free from the inclusion  $\text{Safe}(A) \subseteq A$ .  $\square$

Conversely:

LEMMA 3.3. *If  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \Box A) = 1$  for some scheduler  $\mathcal{U}$ , then  $x \in \text{Safe}(A)$ .*

PROOF. Assume  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \Box A) = 1$ . We define  $Y$  to be the set of locations that can be visited along a  $\mathcal{U}$ -path:  $Y = \{q \in Q \mid \exists w, \Pr_{\mathcal{U}}((x, \varepsilon) \models \diamond(q, w)) > 0\}$  and show that  $Y$  is safe for  $A$ . We have  $Y \subseteq A$  otherwise  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \Box A)$  would be less than 1.

Moreover, if  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \diamond(q, w)) > 0$  for some  $w$  then  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \diamond(q, \varepsilon)) > 0$ . This is trivial if  $q = x$ , and otherwise, losing all messages in the last step leads to  $(q, \varepsilon)$  instead of  $(q, w)$ . Hence there must be some rule enabled in  $(q, \varepsilon)$  that  $\mathcal{U}$  picks to satisfy  $\Box A$  with probability one. Let  $q \xrightarrow{op} y$  this rule. Then  $y$  is in  $Y$ .

The set  $Y$  is safe for  $A$  and  $x \in Y$ , hence  $x \in \text{Safe}(A)$ .  $\square$

### 3.2 Promising Sets

Definition 3.4. Let  $\mathcal{L} = (Q, C, M, \Delta)$  be a lossy channel system and  $A \subseteq Q$  be a set of locations. We say that  $X \subseteq Q$  is *promising* for  $A$  if  $(x, \varepsilon) \xrightarrow{*}_{[X]} A$  for all  $x \in X$ .

As for safe sets, the largest promising set for  $A$  (written  $\text{Prom}(A)$  or  $\text{Prom}$ ) exists: it is the union of all promising sets for  $A$ .

An important property is distributivity with respect to union:

LEMMA 3.5 (SEE APPENDIX A). *For any family  $(A_i)_{i \in I}$  of sets of locations,*

$$\text{Prom} \left( \bigcup_{i \in I} A_i \right) = \bigcup_{i \in I} \text{Prom}(A_i).$$

With regards to intersection, the following clearly holds:

$$\text{Prom} \left( \bigcap_{i \in I} A_i \right) \subseteq \bigcap_{i \in I} \text{Prom}(A_i), \quad (4)$$

but the reverse inclusion does not hold in general.

The set  $\text{Prom}(A)$  can be computed for a given  $A$  as a greatest fixed point. Let  $X_0 = Q$  be the set of all locations and, for  $i = 0, 1, \dots$ , define  $X_{i+1}$  as the set of locations  $x \in X_i$  such that  $(x, \varepsilon) \xrightarrow{*}_{[X_i]} A$ . The  $X_i$ 's can be built effectively because constrained reachability is decidable for LCS's (as recalled in Section 2). The sequence eventually stabilizes since  $X_0 = Q$  is finite. When it does  $X \stackrel{\text{def}}{=} \lim_i X_i$  is promising for  $A$ . Since each  $X_i$  is a superset of  $\text{Prom}(A)$ , we end up with  $X = \text{Prom}(A)$ .

Promising sets are linked to eventuality properties:

LEMMA 3.6. *There exists a memoryless scheduler  $\mathcal{U}$  s.t. for all  $x \in \text{Prom}(A)$  and all  $w \in M^{*C}$ ,  $\Pr_{\mathcal{U}}((x, w) \models \diamond A) = 1$ .*

PROOF. We first describe a *finite-memory* scheduler  $\mathcal{U}$  that achieves for any  $x \in \text{Prom}(A)$  and  $w \in M^{*C}$ ,  $\Pr_{\mathcal{U}}((x, w) \models \diamond A) = 1$ . Then we explain how a *memoryless* scheduler can do the same thing.

$\mathcal{U}$  has two types of modes, a normal mode for each  $x \in \text{Prom}(A)$ , and a recovery mode. In normal mode and starting from  $(x, \varepsilon)$  for some  $x \in \text{Prom}(A)$ ,  $\mathcal{U}$  picks the rule  $\delta_1$  given by a fixed path  $\pi_x$  of the form  $(x, \varepsilon) \xrightarrow{\delta_1} (x_1, w_1) \xrightarrow{\delta_2} \dots \xrightarrow{\delta_n} A$  witnessing  $x \in \text{Prom}(A)$ . If after firing  $\delta_1$  the next configuration is indeed  $(x_1, w_1)$ ,  $\mathcal{U}$  stays in normal mode and goes on with  $\delta_2, \delta_3$ , etc., trying to follow  $\pi_x$  until  $A$  is reached. Whenever the probabilistic losses put it out of  $\pi_x$ ; that is, in some  $(x_i, w'_i)$  with  $w'_i \neq w_i$  (and  $x_i \notin A$ ),  $\mathcal{U}$  switches to recovery mode.

In recovery mode and in some configuration  $(x_i, w)$ ,  $\mathcal{U}$  performs a rule enabled in  $(x_i, \varepsilon)$  and leading to a location  $y \in \text{Prom}(A)$ —such a rule exists because  $x_i \in \text{Prom}(A)$ , for example, the first rule used in  $\pi_{x_i}$ .  $\mathcal{U}$  goes on in recovery mode until all channels are empty. Note that in normal mode and in recovery mode all the visited locations are in  $\text{Prom}(A)$ . Because of the finite-attractor property, with probability one some configuration  $(y, \varepsilon)$  is eventually visited and  $\mathcal{U}$  switches back to normal mode for  $y$ . Therefore, and as long as  $A$  is not visited, some  $\pi_x$  path is tried and almost surely one of them will be eventually followed to the end. Hence  $\Pr_{\mathcal{U}}((x, w) \models \diamond A) = 1$ . Observe that  $\mathcal{U}$  does not depend on  $x$  (nor on  $w$ ) and is finite memory.

We can even design a memoryless scheduler, the so-called *stubborn* scheduler. For this, it is enough to ensure that the set of paths  $(\pi_x)_{x \in \text{Prom}(A)}$  on which  $\mathcal{U}$  relies are such that every occurring configuration is followed by the same next configuration. That is, the paths may join and fuse, but they may not cross and diverge (nor loop back). This way,  $\mathcal{U}$  can base its choices on the current configuration only. Whether it is in “normal” or “recovery” mode is now based on whether the current configuration occurs in the set of selected paths or not.  $\square$

LEMMA 3.7. *If  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \diamond A) = 1$  for some scheduler  $\mathcal{U}$  then  $x \in \text{Prom}(A)$ .*

PROOF. Let  $\mathcal{U}$  be a scheduler such that  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \diamond A) = 1$ . Define  $X = \{y \in Q \mid \Pr_{\mathcal{U}}((x, \varepsilon) \models \neg A \text{ Until } y) > 0\}$  and observe that  $x \in X$ .

We now show that  $X$  is promising for  $A$ . Let  $y \in X$ , then  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \neg A \text{ Until } (y, \varepsilon)) > 0$ : this is obvious for  $y = x$  and, for  $y \neq x$ , the channel can be emptied in the last step of the path witnessing  $\neg A \text{ Until } y$ . Thus, and since  $\Pr_{\mathcal{U}}((x, \varepsilon) \models \diamond A) = 1$ , there must be some path  $(y, \varepsilon) \xrightarrow{*} (z, w)$  with  $z \in A$ . Moreover if  $z$  is the first occurrence of  $A$  along this path, we have  $(y, \varepsilon) \xrightarrow{*}_{[X]} (z, w)$ .

Hence  $X$  is promising for  $A$ , and  $x \in X$ , so  $x \in \text{Prom}(A)$ .  $\square$

## 4. DECIDABILITY RESULTS

### 4.1 Reachability Properties

In this section we give decidability results for qualitative reachability problems. The questions whether there exists a scheduler such that eventuality properties of the form  $\wedge_i \diamond A_i$  are satisfied with probability = 1 (resp. = 0, >0, <1) are all decidable.

In all cases the problem reduces to several reachability questions in ordinary lossy channel systems.

**THEOREM 4.1 (GENERALIZED EVENTUALITY PROPERTIES).** *It is decidable whether for a given NPLCS  $\mathcal{N}$ , location  $q$ , sets  $A_1, \dots, A_n$  of locations and reachability properties (a), (b), (c) or (d) there exists a scheduler  $\mathcal{U}$  satisfying*

- (a)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) > 0$ , or
- (b)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) = 0$ , or
- (c)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) < 1$ , or
- (d)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) = 1$ .

*Furthermore, the existence of a scheduler  $\mathcal{U}$  satisfying (b) entails the existence of a blind and memoryless scheduler for (b). The existence of a scheduler satisfying (c) entails the existence of an almost blind and memoryless scheduler for (c). The existence of a scheduler satisfying (a) or (d) entails the existence of a finite-memory scheduler for (a) or (d).*

The rest of this section consists in the proof of Theorem 4.1. In this proof, we will successively show the decidability of (a), (b), (c), and (d).

**ad (a)** of Theorem 4.1:  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) > 0$ .

We first consider the case of a single eventuality property  $\diamond A$ . Obviously:

- $A$  is reachable from  $(q, \varepsilon)$
- iff there exists a scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond A) > 0$
- iff there exists a memoryless scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond A) > 0$ .

Hence the problem reduces to a control-state reachability problem in  $LTS_{\mathcal{L}}$ .

For several eventualities  $A_1, \dots, A_n$ , one can reduce the problem to the simpler case by building a product  $\mathcal{N} \times \mathcal{A}$  of  $\mathcal{N}$  with a finite-state automaton  $\mathcal{A}$  that records which  $A_i$ 's have been visited so far.  $\mathcal{N} \times \mathcal{A}$  has  $2^n$  times the size of  $\mathcal{N}$ . The existence of a memoryless scheduler for  $\mathcal{N} \times \mathcal{A}$  directly translates into the existence of a finite-memory scheduler for  $\mathcal{N}$ .

Observe that for eventuality properties of the form  $\exists \mathcal{U} \Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond A \wedge \diamond B) > 0$ , memoryless schedulers are not sufficient, as the only possibility to satisfy both constraints  $\diamond A$  and  $\diamond B$  might be to visit a certain configuration  $s$  twice and to choose different transition rules when visiting  $s$  the first and the second time.

**ad (b)** of Theorem 4.1:  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) = 0$ .

We rewrite the question as the existence of  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \square \neg A_i) = 1$ , or equivalently, with  $B_i \stackrel{\text{def}}{=} \neg A_i$ , such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \square B_i) = 1$ .

The next lemma reduces this question to a simple safety problem.

**LEMMA 4.2.** *There exists a scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \square B_i) = 1$  if and only if there exists a blind and memoryless scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square B_i) = 1$  for some  $i$ ,  $1 \leq i \leq n$ .*

**PROOF.** ( $\Leftarrow$ ): is obvious.

( $\Rightarrow$ ): We assume that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \square B_i) = 1$ .

For all  $I \subseteq \{1, \dots, n\}$ ,  $I \neq \emptyset$ , let  $X_I$  be the set of all locations  $x$  such that there exists a finite  $\mathcal{U}$ -path  $\pi$  of the form  $(q, \varepsilon) = (x_0, w_0) \rightarrow (x_1, w_1) \rightarrow \dots \rightarrow (x_m, w_m) = (x, w_m)$  satisfying:

$$\{x_0, \dots, x_m\} \subseteq B_i \text{ iff } i \in I.$$

Hence a path such as  $\pi$  above witnesses that  $x_m$  belongs to  $X_I$  for  $I$  the set of all indices  $i$  such that  $\pi \models \Box B_i$ .

Let  $I_x \stackrel{\text{def}}{=} \{i \in \{1, \dots, n\} \mid x \in B_i\}$ . By assumption  $I_q$  is not empty and  $q \in X_{I_q}$ . We now show, for all  $I \neq \emptyset$ , that

$$X_I \subseteq \left\{ x \in \bigcap_{i \in I} B_i \mid (x, \varepsilon) \rightarrow X_J \text{ for some } \emptyset \neq J \subseteq I \right\}. \quad (5)$$

This can be seen as follows. Let  $x \in X_I$ . Then, there is a finite path as above. But then also

$$(q, \varepsilon) = (x_0, w_0) \rightarrow (x_1, w_1) \rightarrow \dots \rightarrow (x_{m-1}, w_{m-1}) \rightarrow \underbrace{(x_m, \varepsilon)}_{=(x, \varepsilon)}$$

is a  $\mathcal{U}$ -path. Let  $x \xrightarrow{op} y$  be the transition rule taken by  $\mathcal{U}$  for this path. Then,  $(x, \varepsilon) \rightarrow (y, \varepsilon)$ . Hence, there is an infinite  $\mathcal{U}$ -path  $\pi$  starting with the prefix

$$(q, \varepsilon) = (x_0, w_0) \rightarrow (x_1, w_1) \rightarrow \dots \rightarrow (x_{m-1}, w_{m-1}) \rightarrow (x, \varepsilon) \rightarrow (y, \varepsilon).$$

Let  $J \stackrel{\text{def}}{=} I \cap I_y$ .  $J$  is not empty because  $\pi \models \Box B_i$  for some  $1 \leq i \leq n$ . Moreover  $(q, \varepsilon) = (x_0, w_0) \rightarrow (x_1, w_1) \rightarrow \dots \rightarrow (x_{m-1}, w_{m-1}) \rightarrow (x, \varepsilon) \rightarrow (y, \varepsilon)$  is a witness for  $y \in X_J$ . Hence  $(x, \varepsilon) \rightarrow X_J$ .

We now construct simultaneously an infinite sequence  $x_0, x_1, \dots$  of locations and an infinite sequence  $I_0, I_1, \dots$  of sets on indices with  $x_0 = q$  and s.t.  $x_k \in X_{I_k}$  for  $k = 0, 1, \dots$ . We start with  $I_0 \stackrel{\text{def}}{=} I_q$ . At step  $k$ ,  $x_k \in X_{I_k}$  and (5) entail the existence of a step  $(x_k, \varepsilon) \rightarrow X_J$  with  $J \subseteq I_k$ . We let  $x_{k+1}$  be the smallest  $x \in X_J$  that can be reached from  $x_k$  (assuming  $\mathcal{Q}$  is totally ordered in some way) and  $I_{k+1} \stackrel{\text{def}}{=} J$ . Observe that  $I_0 \supseteq I_1 \supseteq \dots$  and that  $I_\infty \stackrel{\text{def}}{=} \bigcap_{k=0,1,\dots} I_k$  is not empty thanks to (5). Observe that a scheduler  $\mathcal{V}$  that visits  $x_0, x_1, \dots$ , is blind, satisfies  $\bigwedge_{i \in I_\infty} \Box B_i$ , and needs only finite-memory, for example, recording the current  $I_k$ . A *memoryless* scheduler  $\mathcal{U}$  can be obtained from  $\mathcal{V}$  by always picking, for a location  $x$ , the rule that  $\mathcal{V}$  picks last if  $x$  is encountered several times in the sequence  $x_0, x_1, \dots$ .  $\mathcal{U}$  visits less locations than  $\mathcal{V}$ , hence satisfies more  $\Box B_i$  properties.  $\square$

Now, combining Lemmas 4.2, 3.6, and 3.7, one sees that there exists a scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \Box B_i) = 1$  iff  $q \in \bigcup_{i=1}^n \text{Safe}(B_i)$ , which is decidable since the  $\text{Safe}(B_i)$ 's can be computed effectively (Section 3.1). This concludes the proof of Theorem 4.1(b).

**ad (c)** of Theorem 4.1:  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \Diamond A_i) < 1$ .

We first observe that



$$\begin{aligned}
 & \Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i \right) < 1 \\
 \text{iff} \quad & \Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigvee_{i=1}^n \square \neg A_i \right) > 0 \\
 \text{iff} \quad & \Pr_{\mathcal{U}}((q, \varepsilon) \models \square \neg A_i) > 0 \quad \text{for some } i \in \{1, \dots, n\}.
 \end{aligned}$$

Thus, it suffices to explain how to check whether there exists a scheduler  $\mathcal{U}$  with

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \square B) > 0$$

where  $B$  is a given set of locations.

The following lemma reduces our problem to a decidable reachability question in  $LTS_{\mathcal{C}}$  (see (c.3)).

**LEMMA 4.3.** *The following assertions are equivalent:*

- (c.1) *There exists a scheduler  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square B) > 0$ .*
- (c.2) *There exists an almost blind, memoryless scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square B) > 0$ .*
- (c.3)  $(q, \varepsilon) \xrightarrow{*}_{[B]} \text{Safe}(B)$ .

**PROOF.** (c.2)  $\Rightarrow$  (c.1): is obvious.

(c.3)  $\Rightarrow$  (c.2):

Let  $\pi$  be a path witnessing  $(q, \varepsilon) \xrightarrow{*}_{[B]} \text{Safe}(B)$ . A scheduler  $\mathcal{U}$  that tries to follow this path reaches  $\text{Safe}(B)$  with positive probability. If  $\pi$  is simple (i.e., loop-free)  $\mathcal{U}$  is memoryless. Whenever  $\text{Safe}(B)$  is reached, it is sufficient that  $\mathcal{U}$  behave as the blind scheduler for safe sets (Lemma 3.2). The resulting scheduler is almost blind, memoryless, and achieves  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square B) > 0$ .

(c.1)  $\Rightarrow$  (c.3): Let  $\mathcal{U}$  be a scheduler such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square B) > 0$ . Let

$$X = \{x \in Q \mid \Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond(x, \varepsilon) \wedge \square B) > 0\}.$$

The finite-attractor property yields that  $X \neq \emptyset$ . Moreover, each configuration  $(x, \varepsilon)$  with  $x \in X$  is reachable from  $(q, \varepsilon)$  via a  $\mathcal{U}$ -path where  $\square B$  holds. Hence, we have

$$(q, \varepsilon) \xrightarrow{*}_{[B]} X.$$

We now show that  $X$  is safe for  $B$ , which yields  $X \subseteq \text{Safe}(B)$ , and hence (c.3).

Obviously  $X \subseteq B$ . Now let  $x \in X$ . There exists a transition rule  $\delta_x = x \xrightarrow{op} y$  such that

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond(x, \varepsilon) \wedge \text{“}\delta_x \text{ is chosen infinitely often in } (x, \varepsilon)\text{”} \wedge \square B) > 0.$$

Since  $\mathbf{P}_{\mathcal{N}}((x, \varepsilon), \delta_x, (y, \varepsilon)) > 0$ , we get

$$\begin{aligned}
 & \Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond(x, \varepsilon) \wedge \text{“}\delta_x \text{ is chosen infinitely often in } (x, \varepsilon)\text{”} \wedge \square \diamond(y, \varepsilon) \\
 & \wedge \square B) > 0.
 \end{aligned}$$

Hence,  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \Box \diamond (y, \varepsilon) \wedge \Box B) > 0$ . This yields  $y \in X$ . We conclude that there is a transition  $(x, \varepsilon) \rightarrow X$ . As this is true for any  $x \in X$ ,  $X$  is safe for  $B$ .  $\square$

**ad (d)** of Theorem 4.1:  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) = 1$ .

The case where  $n = 1$  is equivalent, by Lemmas 3.6 and 3.7, to  $q \in \text{Prom}(A_1)$ , a decidable question. Lemma 3.6 shows, moreover, that a memoryless  $\mathcal{U}$  (the stubborn scheduler) is sufficient.

We now consider the general case. With any  $I \subseteq \{1, \dots, n\}$  we associate a set  $X_I \subseteq Q$  of locations defined inductively by:

$$X_{\emptyset} \stackrel{\text{def}}{=} Q \quad X_I \stackrel{\text{def}}{=} \bigcup_{i \in I} \text{Prom}(A_i \cap X_{I \setminus \{i\}}) \quad \text{for } I \neq \emptyset$$

By Lemma 3.5  $X_I = \text{Prom}(\bigcup_{i \in I} A_i \cap X_{I \setminus \{i\}})$ .

**LEMMA 4.4.** *For all  $I \subseteq \{1, \dots, n\}$  there exists a finite-memory scheduler  $\mathcal{U}_I$  such that  $\forall q \in X_I \forall w \text{Pr}_{\mathcal{U}_I}((q, w) \models \bigwedge_{i \in I} \diamond A_i) = 1$ .*

**PROOF.** The proof is by induction on (the size of)  $I$ .

For  $I = \emptyset$ ,  $\bigwedge_{i \in I} \diamond A_i$  always holds.

Let  $\emptyset \subsetneq I \subseteq \{1, \dots, n\}$ . The definition of  $X_I$  entails that there exists a memoryless scheduler  $\mathcal{U}$  (see Lemma 3.6) such that

$$\forall q \in X_I \forall w \text{Pr}_{\mathcal{U}} \left( (q, w) \models \diamond \bigcup_{i \in I} (X_{I \setminus \{i\}} \cap A_i) \right) = 1$$

We now derive  $\mathcal{U}_I$  out of  $\mathcal{U}$ :  $\mathcal{U}_I$  behaves as  $\mathcal{U}$  until some configuration  $(y, v)$  with  $y \in X_{I \setminus \{i\}} \cap A_i$  (for some  $i \in I$ ) is reached. From that point  $\mathcal{U}_I$  switches mode and behaves as  $\mathcal{U}_{I \setminus \{i\}}$ . By induction hypothesis  $\bigwedge_{i \in I \setminus \{i\}} \diamond A_i$  will be satisfied almost surely from  $(y, v)$ . Hence  $\text{Pr}_{\mathcal{U}_I}((q, w) \models \bigwedge_{i \in I} \diamond A_i) = 1$ .  $\mathcal{U}_I$  is finite memory, since it has at most one mode for each  $I \subseteq \{1, \dots, n\}$ .  $\square$

**LEMMA 4.5.** *For all  $I \subseteq \{1, \dots, n\}$ , if  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i \in I} \diamond A_i) = 1$  for some  $\mathcal{U}$ , then  $q \in X_I$ .*

**PROOF.** Here again the proof is by induction on  $I$ .

The case  $I = \emptyset$  is trivial since  $X_{\emptyset} = Q$ .

Let  $\emptyset \subsetneq I \subseteq \{1, \dots, n\}$  and assume  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i \in I} \diamond A_i) = 1$ . We define

$$Y \stackrel{\text{def}}{=} \{x \in Q \mid \exists \text{ a } \mathcal{U}\text{-path } \pi_x : (q, \varepsilon) \xrightarrow{*}_{[B]} (x, \varepsilon)\}$$

where  $B \stackrel{\text{def}}{=} Q \setminus \bigcup_{i \in I} A_i$  and show that  $Y \subseteq X_I$ . For a fixed  $x \in Y$ , since  $\pi_x$  is a  $\mathcal{U}$ -path, from  $(x, \varepsilon)$  there must be a path visiting all the  $A_i$ 's for  $i \in I$ . Consider one such path and let  $y$  be the first location belonging to some  $A_i$  for  $i \in I$ . Then  $\pi'_x \stackrel{\text{def}}{=} (q, \varepsilon) \xrightarrow{*} (x, \varepsilon) \xrightarrow{*}_{[\cap_{i \in I} A_i]} (y, \varepsilon) \in A_i$  is again a  $\mathcal{U}$ -path. From  $(y, \varepsilon)$ , all the  $A_i$ 's with  $i \in I \setminus \{i\}$  have to be visited with probability one. Let  $\mathcal{U}_y$  be a “suffix” scheduler of  $\mathcal{U}$  given by:  $\mathcal{U}_y((y, \varepsilon) \rightarrow \dots) \stackrel{\text{def}}{=} \mathcal{U}(\pi'_x \rightarrow \dots)$ . From the assumption on  $\mathcal{U}$  and the form of  $\pi'_x$  we deduce that  $\text{Pr}_{\mathcal{U}_y}((y, \varepsilon) \models \bigwedge_{i \in I} \diamond A_i) = 1$ . By induction hypothesis,  $y \in X_{I \setminus \{i\}}$ . Hence  $(x, \varepsilon) \xrightarrow{*}_{[Y]} (y, \varepsilon)$  entails  $(x, \varepsilon) \xrightarrow{*}_{[Y]} \bigcup_{i \in I} A_i \cap X_{I \setminus \{i\}}$ . By definition of  $\text{Prom}$  (greatest fixed point),  $Y \subseteq \text{Prom}(\bigcup_{i \in I} A_i \cap X_{I \setminus \{i\}}) = X_I$ . As a consequence  $q \in Y$  implies  $q \in X_I$ .  $\square$

COROLLARY 4.6. *The following assertions are equivalent:*

- (d.1) *There exists a scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) = 1$ .*
- (d.2) *There exists a finite-memory scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \diamond A_i) = 1$ .*
- (d.3)  *$q \in X_{\{1, \dots, n\}}$ .*

Hence decidability of (d.3) (see Section 3.2) entails decidability of (d.1).

## 4.2 Repeated Reachability Properties

We now discuss the decidability of repeated reachability problems, formalized by a Büchi condition  $\square \diamond A$  (“visit infinitely often locations in  $A$ ”) or generalized Büchi conditions that arise through the conjunction of several Büchi conditions.

In this subsection, we see that for generalized Büchi conditions and for the three probabilistic satisfaction criteria “almost surely,” “with zero probability,” or “with probability  $< 1$ ” the class of finite-memory schedulers is as powerful as the full class of (history-dependent) schedulers. Furthermore the corresponding problems can all be solved algorithmically. When the fourth criterion “with probability  $> 0$ ” is considered, the problem is undecidable (see Section 5).

THEOREM 4.7 (GENERALIZED BÜCHI). *It is decidable whether for a given NPLCS  $\mathcal{N}$ , location  $q$ , sets  $A_1, \dots, A_n$  of locations and repeated reachability properties (a), (b), or (c) there exists a scheduler  $\mathcal{U}$  satisfying*

- (a)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \square \diamond A_i) = 1$ , or
- (b)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \square \diamond A_i) = 0$ , or
- (c)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \square \diamond A_i) < 1$ .

*Moreover, if such a scheduler exists then there is also a finite-memory scheduler with the same property. In case (b), the existence of a scheduler entails the existence of an almost-blind and memoryless scheduler. In case (c), the existence of a scheduler entails the existence of an almost-blind and finite-memory scheduler.*

As for Theorem 4.1 we show the decidability of (a), (b), and (c) in turn.

**ad (a)** of Theorem 4.7:  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \square \diamond A_i) = 1$ .

We prove the equivalence of the following three statements:

- (a.1) There exists a scheduler  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \square \diamond A_i) = 1$ .
- (a.2) There exists a finite-memory scheduler  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \square \diamond A_i) = 1$ .
- (a.3)  $q \in \bigcap_{i=1}^n \text{Safe}(\text{Prom}(A_i))$ .

PROOF. (a.2)  $\Rightarrow$  (a.1): is obvious.

(a.1)  $\Rightarrow$  (a.3): Let  $\mathcal{U}$  be a scheduler as in (a.1). Let  $X$  be the set of all locations  $x \in \mathcal{Q}$  that are visited with positive probability under  $\mathcal{U}$  starting from state  $(q, \varepsilon)$ . That is,

$$X \stackrel{\text{def}}{=} \{x \in \mathcal{Q} \mid \Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond x) > 0\}.$$

Let us show that  $X \subseteq \bigcap_{i=1}^n \text{Safe}(\text{Prom}(A_i))$ .

Any finite  $\mathcal{U}$ -path  $(q, \varepsilon) \xrightarrow{*} s$  can be extended to an infinite  $\mathcal{U}$ -path where  $\bigwedge_{i=1}^n \square \diamond A_i$  holds (otherwise,  $\bigwedge_{i=1}^n \square \diamond A_i$  could not hold almost surely). Hence, for all  $x \in X$ , there must exist some  $\mathcal{U}$ -path

$$\pi \stackrel{\text{def}}{=} (q, \varepsilon) \xrightarrow{*} (x, \varepsilon) \xrightarrow{+} A_1 \xrightarrow{+} A_2 \cdots \xrightarrow{+} A_n \xrightarrow{+} A_1 \cdots$$

These paths only visit locations in  $X$ , hence witness  $X \subseteq \text{Prom}(A_i)$  for all  $i$ . In turn, they also witness that  $X$  is safe for the  $\text{Prom}(A_i)$ 's, hence  $X \subseteq \bigcap_{i=1}^n \text{Safe}(\text{Prom}(A_i))$ . One concludes by noting that  $q \in X$ .

(a.3)  $\Rightarrow$  (a.2): Let  $Y \stackrel{\text{def}}{=} \bigcap_{i=1}^n \text{Safe}(\text{Prom}(A_i))$  and assume  $q \in Y$ . For each  $x \in Y$  and  $i = 1, \dots, n$  we pick a simple (i.e., loop-free) path  $\pi_{x,i}$  of the form

$$(x, \varepsilon) \xrightarrow{+}_{[Y]} A_i.$$

We design a finite-memory scheduler that works with the modes  $(x, i)$  where  $x \in Y$  and  $1 \leq i \leq n$ , and recovery modes  $i$  for  $1 \leq i \leq n$ . Intuitively, in the modes  $(\cdot, i)$ ,  $\mathcal{U}$  tries to reach  $A_i$ , using the stubborn scheduler for  $A_i$  (see proof of Lemma 3.6). As soon as  $A_i$  is reached,  $\mathcal{U}$  changes to the mode  $(\cdot, i + 1)$  and tries to reach  $A_{i+1}$  (here and in the sequel, we identify mode  $(x, 1)$  with  $(x, n + 1)$ ). As before, in recovery mode  $i$ ,  $\mathcal{U}$  just waits until a configuration with empty channel is reached, staying in  $\text{Safe}(\text{Prom}(A_i))$  in the meantime. When some  $(y, \varepsilon)$  is eventually reached (which happens almost surely due to the finite-attractor property),  $\mathcal{U}$  switches back to mode  $(y, i)$ . Hence,  $\mathcal{U}$  will almost surely eventually reach  $A_i$ . But then,  $\mathcal{U}$  switches to the modes for index  $i + 1$  and the same argument applies for the next goal states  $A_{i+1}$ . This yields  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_i \square \diamond A_i) = 1$ , and  $\mathcal{U}$  is a finite-memory scheduler.  $\square$

Decidability of (a) follows from decidability of (a.3) which has been established in Section 3.

**ad (b)** of Theorem 4.7:  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \square \diamond A_i) = 0$ .

Clearly,

$$\text{Pr}_{\mathcal{U}}\left((q, \varepsilon) \models \bigwedge_{i=1}^n \square \diamond A_i\right) = 0 \text{ iff } \text{Pr}_{\mathcal{U}}\left((q, \varepsilon) \models \bigvee_{i=1}^n \diamond \square \neg A_i\right) = 1.$$

Letting  $B_i \stackrel{\text{def}}{=} \neg A_i$ , it suffices to show that it is decidable whether there exists a scheduler  $\mathcal{U}$  with

$$\text{Pr}_{\mathcal{U}}\left((q, \varepsilon) \models \bigvee_{i=1}^n \diamond \square B_i\right) = 1.$$

We show the equivalence of the following statements:

- (b.1) There is a scheduler  $\mathcal{U}$  with  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \diamond \square B_i) = 1$ .
- (b.2) There is a finite-memory scheduler  $\mathcal{U}$  with  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \diamond \square B_i) = 1$ .
- (b.3) There is a scheduler  $\mathcal{V}$  with  $\text{Pr}_{\mathcal{V}}((q, \varepsilon) \models \diamond \bigcup_{i=1}^n \text{Safe}(B_i)) = 1$ .

PROOF. (b.2)  $\Rightarrow$  (b.1): is obvious.

(b.1)  $\Rightarrow$  (b.3): We assume that we are given a scheduler  $\mathcal{U}$  as in (b.1). Let  $X_i$  be the set of locations  $x$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \diamond(x, \varepsilon) \wedge \diamond \Box B_i) > 0$ . We then have  $X_i \subseteq B_i$ . We now show that

- (i)  $(x, \varepsilon) \rightarrow X_i$  for any  $x \in X_i$ , and
- (ii)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond \bigcup_{i=1}^n X_i) = 1$ .

Note that (i) yields  $X_i \subseteq \text{Safe}(B_i)$ . But then (ii) yields (b.3).

PROOF OF (i): Let  $x \in X_i$ . There exists a transition rule  $\delta = x \xrightarrow{op} y$  that is enabled in  $(x, \varepsilon)$  and such that

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \diamond((x, \varepsilon) \wedge \text{"}\delta \text{ is chosen in } (x, \varepsilon)\text{"}) \wedge \diamond \Box B_i) > 0.$$

If the transition rule  $\delta$  is chosen infinitely often in configuration  $(x, \varepsilon)$ , then almost surely the step  $(x, \varepsilon) \rightarrow (y, \varepsilon)$  occurs infinitely often. Hence,  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \diamond(x, \varepsilon) \wedge \Box \diamond(y, \varepsilon) \wedge \diamond \Box B_i) > 0$  and thus  $y \in X_i$ .

PROOF OF (ii): By definition of  $X_i$ ,  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond \Box B_i \wedge \Box \diamond(z, \varepsilon)) = 0$  for any  $z \notin X_i$ . Hence, since  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \diamond \Box A_i) = 1$ , for each  $z \notin X \stackrel{\text{def}}{=} \bigcup X_i$  necessarily  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \diamond(z, \varepsilon)) = 0$ . Hence,

$$\Pr_{\mathcal{U}}\left((q, \varepsilon) \models \bigvee_{z \notin X} \Box \diamond(z, \varepsilon)\right) = 0.$$

Thus, the finite-attractor property yields  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{x \in X} \Box \diamond(x, \varepsilon)) = 1$ . In particular,

$$\Pr_{\mathcal{U}}\left((q, \varepsilon) \models \diamond \bigcup_{i=1}^n X_i\right) = 1.$$


(b.3)  $\Rightarrow$  (b.2): Let  $\mathcal{V}$  be a scheduler as in (b.3). By Lemma 3.6, we may assume that  $\mathcal{V}$  is memoryless. We then define  $\mathcal{U}$  as the scheduler that behaves as  $\mathcal{V}$  until a location in  $\bigcup_i \text{Safe}(B_i)$  is reached (this happens almost surely). When a location  $x \in \text{Safe}(B_i)$  is reached (for some  $i$ ),  $\mathcal{U}$  mimics the so-called safe scheduler (blind and memoryless) described in Section 3.1 for safe sets, and fulfills  $\Box \text{Safe}(B_i)$  from location  $x$  onwards. Since  $\text{Safe}(B_i) \subseteq B_i$  we obtain  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \diamond \Box B_i) = 1$ . Moreover,  $\mathcal{U}$  is an almost blind, memoryless scheduler.  $\square$

**ad (c)** of Theorem 4.7:  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \Box \diamond A_i) < 1$ .

We first observe that for any scheduler  $\mathcal{U}$ :

$$\begin{aligned} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n \Box \diamond A_i) < 1 \\ \text{iff} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n \diamond \Box \neg A_i) > 0 \\ \text{iff} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond \Box \neg A_i) > 0 \text{ for some } i \in \{1, \dots, n\}. \end{aligned}$$

Hence, it suffices to discuss the decidability of the question whether for a given set  $B \subseteq Q$  there is a scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond \Box B) > 0$ .

Fig. 3. Cleaning gadget, assuming  $\$ \notin M$ .

The following statements are equivalent:

- (c.1)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond \square B) > 0$  for some  $\mathcal{U}$ .
- (c.2)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond \square B) > 0$  for some *almost blind and finite-memory*  $\mathcal{U}$ .
- (c.3)  $(q, \varepsilon) \xrightarrow{*} \text{Safe}(B)$ .

PROOF. (c.2)  $\Rightarrow$  (c.1): is obvious.

(c.3)  $\Rightarrow$  (c.2): Assume  $\text{Safe}(B)$  is reachable from  $(q, \varepsilon)$ . Then, there is a finite simple (i.e., loop-free) path  $\pi$  from  $(q, \varepsilon)$  to  $(x, \varepsilon)$  for some  $x \in \text{Safe}(B)$ . Let  $\mathcal{U}$  be an almost blind, memoryless scheduler which generates the above path  $\pi$  with positive probability and when/if  $\text{Safe}(B)$  is reached, behaves as the safe scheduler for  $B$ . Clearly,  $\mathcal{U}$  has the desired property.

(c.1)  $\Rightarrow$  (c.3): Let  $\mathcal{U}$  be a scheduler as in (c.1). We define  $X$  to be the set of locations  $x \in Q$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond (x, \varepsilon) \wedge \diamond \square B) > 0$ . The finite-attractor property entails that  $X$  is not empty. Furthermore  $X$  is reachable from  $(q, \varepsilon)$ . A reasoning as in the proof of (b.1)  $\Rightarrow$  (b.3) (see proof of (i)) shows that  $X$  is safe for  $B$ .  $\square$

The decidability of (c.3) entails that (c) is decidable.

## 5. HARDNESS AND UNDECIDABILITY RESULTS

In this section we investigate the computational complexity of the problems shown decidable in Section 4, and we prove undecidability for the remaining problems. Technically, most results are hardness proofs and the involved reductions make repeated use of the following “cleaning” gadget.

### 5.1 Cleaning Gadget

The cleaning gadget is the NPLCS shown in Figure 3. It can be part of a larger NPLCS where it serves to empty (“clean”) one channel *without introducing deadlocks*. For a given message alphabet  $M = \{a, \dots\}$ , the system described in Figure 3 uses one channel (left implicit) and a new message symbol  $\$ \notin M$ . Letter  $a$  in Figure 3 is a symbol from the original message alphabet  $M$ . Operations “ $?m$ ” are used as a shorthand for all  $|M| + 1$  possible reading operations over the new message alphabet  $M \cup \{\$\}$ . The purpose of  $\$$  is to force the channel to be emptied when moving from *in* to *out*.



Let  $T \subseteq \text{Conf}$  be the set of configurations described by the following regular expression:

$$T = (\text{in}, M^*) + (1, M^*(\$ + \varepsilon)) + (2, M^*\$^*) + (3, \$^*a^*) + (\text{out}, \varepsilon)$$

LEMMA 5.1. *The configurations reachable from  $(\text{in}, M^*)$  are exactly those in  $T$ .*

PROOF SKETCH. The left-to-right inclusion can be verified by showing that  $T$  is an invariant. For instance, from configurations in  $(\text{in}, M^*)$  only the configurations in  $(1, M^*(\$ + \varepsilon))$  are reachable within one step, while from  $(2, M^*\$^*)$  only configurations in  $(3, \$^*) + (2, M^*\$^*)$  can be reached. And so on. The other inclusion is easy to see.  $\square$

Constructions incorporating the gadget rely on the following property:

LEMMA 5.2. *For any  $w \in M^*$ :*

- (a) *If  $\mathcal{U}$  is a scheduler for the cleaning gadget and  $v \neq \varepsilon$  then  $\Pr_{\mathcal{U}}((\text{in}, w) \models \diamond(\text{out}, v)) = 0$ .*
- (b) *There is a (memoryless) scheduler  $\mathcal{U}$  for the cleaning gadget with  $\Pr_{\mathcal{U}}((\text{in}, w) \models \diamond(\text{out}, \varepsilon)) = 1$ .*

PROOF. (a) is immediate from Lemma 5.1. To prove (b), we describe a scheduler  $\mathcal{U}$  with the desired property.  $\mathcal{U}$  starts from  $(\text{in}, w)$ , selects the  $\text{in} \xrightarrow{!\$} 1$  rule, aiming for configuration  $(1, \$)$  where  $(\text{out}, \varepsilon)$  can be reached. In case a configuration  $(1, v)$  with  $v \neq \$$  is reached,  $\mathcal{U}$  moves from 1 to 2, goes back to  $\text{in}$  and retries. This will eventually succeed with probability 1.  $\square$

Let us remark as an aside that, if one takes properties (a) and (b) above as the specification of a cleaning gadget, then it can be proved that any gadget necessarily uses “new” messages not from  $M$ , like  $\$$  in our construction.


## 5.2 Complexity of Decidable Cases

We consider the decidable cases given in Section 4. One problem (reachability with zero probability) is in PTIME, and even NLOGSPACE-complete, but all the others are nonprimitive recursive, as are most decidable problems for LCS’s [Schnoebelen 2002].

THEOREM 5.3. *The problem, given NPLCS  $\mathcal{N}$ , location  $q$  and set  $A \subseteq Q$  of locations, whether there exists a scheduler  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square A) = 1$ , is NLOGSPACE-complete.*

PROOF SKETCH. Lemmas 3.2 and 3.3 show that this problem is equivalent to a reachability question in some subgraph of the control graph of  $\mathcal{L}$ .  $\square$

THEOREM 5.4. *The problem given a NPLCS  $\mathcal{N}$ , a location  $q$  and a set of locations  $A$ , whether there exists a scheduler  $\mathcal{U}$  satisfying (a.1) (or (a.2) ... or*

Fig. 4. The LCS  $\mathcal{L}'$  associated with  $\mathcal{L}$  in Lemma 5.5.

(b.3)), is not primitive recursive.

- |   |   |
|---|---|
| (a.1) $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond A) > 0$ , or | (b.1) $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond A) = 0$ , or |
| (a.2) $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond A) = 1$ , or | (b.2) $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond A) = 1$ , or |
| (a.3) $\Pr_{\mathcal{U}}((q, \varepsilon) \models \diamond A) < 1$ , or | (b.3) $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond A) < 1$ .    |

In all six cases, the proof is by reducing from the control-state reachability problem for (non-probabilistic) LCS's, known to be nonprimitive recursive [Schneebelen 2002].

The case (a.1) is the easiest since, by Theorem 4.1, it is equivalent to the reachability of  $A$  from  $(q_0, \varepsilon)$  in the underlying LCS of  $\mathcal{N}$ .

For all the other cases, except (a.3), we use the reduction illustrated in Figure 4. Let  $\mathcal{L}$  be a LCS with only one channel and two distinguished locations  $q_0$  and  $\text{accept}$ . From  $\mathcal{L}$  we build another LCS  $\mathcal{L}'$  and consider the NPLCS  $\mathcal{N} = (\mathcal{L}', \tau)$  for any  $\tau \in (0, 1)$ . We now show that the control-state reachability problem in  $\mathcal{L}$  (i.e., is  $\text{accept}$  reachable from  $(q_0, \varepsilon)$ ?) is equivalent to particular instances of our probabilistic problems for  $\mathcal{N}$ .

$\mathcal{L}'$  uses the cleaning gadget and has one further location:  $\text{success}$ . From every original location  $r$  of  $\mathcal{L}$ , except  $\text{accept}$ ,  $\mathcal{L}'$  has a  $\surd$ -transition to  $\text{in}$ , the input location of the cleaning gadget. There is also a transition from  $\text{out}$  to  $q_0$ . From  $\text{accept}$  there is a transition to  $\text{success}$  and one can loop on this latter location.

The idea of this reduction is that, if  $\text{accept}$  is reachable from  $q_0$  by some path  $\pi$  in  $\mathcal{L}$ , then it is possible for a scheduler to try and follow this path in  $\mathcal{L}'$  and, in case probabilistic losses do not comply with  $\pi$ , to retry as many times as it wants by returning to  $q_0$ . The cleaning gadget ensures that returning to  $q_0$  is with empty channel. Note that the only way to visit  $\text{success}$  is to visit  $\text{accept}$  first. These general ideas are formalized in the next lemma.

LEMMA 5.5. *In the LCS  $\mathcal{L}'$ , the following statements are equivalent:*

- (i)  $(q_0, \varepsilon) \xrightarrow{*} \text{Prom}(\{\text{success}\})$ ,
- (ii)  $q_0 \in \text{Prom}(\{\text{success}\})$ ,
- (iii)  $(q_0, \varepsilon) \xrightarrow{*} \text{success}$ ,
- (iv)  $(q_0, \varepsilon) \xrightarrow{*} \text{accept}$ ,

- (v)  $(q_0, \varepsilon) \xrightarrow{*[L]} \text{accept}$ ,
- (vi)  $q_0 \in \text{Safe}(\text{Prom}(\{\text{success}\}))$ ,
- (vii)  $(q_0, \varepsilon) \xrightarrow{*} \text{Safe}(\text{Prom}(\{\text{success}\}))$ .

Here “ $(q_0, \varepsilon) \xrightarrow{*[L]} \dots$ ” means that the path only visits original locations from  $\mathcal{L}$ .

PROOF. (i)  $\Rightarrow$  (ii): Assume  $(q_0, \varepsilon) \xrightarrow{*} \text{Prom}(\{\text{success}\})$  and let  $(q_0, \varepsilon) \rightarrow (q_1, w_1) \rightarrow \dots \rightarrow (q_m, w_m)$  with  $q_m \in \text{Prom}(\{\text{success}\})$  be a witness (simple) path. From any  $q_i \neq \text{success}$  along this path one may reach  $(q_0, \varepsilon)$  via the cleaning gadget. Hence  $(q_i, \varepsilon) \xrightarrow{*} \text{Prom}(\{\text{success}\})$ . All locations along the path from  $(q_0, \varepsilon)$  to  $\text{Prom}(\{\text{success}\})$  satisfies this property, hence we have  $q_0 \in \text{Prom}(\{\text{success}\})$ .

(ii)  $\Rightarrow$  (iii): by definition of  $\text{Prom}(\cdot)$ .

(iii)  $\Rightarrow$  (iv): obvious.

(iv)  $\Rightarrow$  (v): Assume  $\pi$  is a path from  $(q_0, \varepsilon)$  to  $\text{accept}$ . If this path steps out of  $\mathcal{L}$  then it can only go to the cleaning gadget. From there the only exit back to  $\mathcal{L}$  is via  $(q_0, \varepsilon)$  (Lemma 5.2.(a)), looping back to a previously visited configuration. Thus if  $\pi$  is a simple path, it stays inside  $\mathcal{L}$ .

(v)  $\Rightarrow$  (vi): suppose  $(q_0, \varepsilon) \xrightarrow{*[L]} \text{accept}$ . Then  $(q_0, \varepsilon) \xrightarrow{*} \text{success}$  and  $s \xrightarrow{*} \text{success}$  for all configurations of  $\mathcal{L}'$ , either because  $s$  is already some configuration of the form  $(\text{success}, w)$ , or because  $s$  can reach  $(q_0, \varepsilon)$  via the cleaning gadget. As a consequence, all locations of  $\mathcal{L}'$  are in  $\text{Prom}(\{\text{success}\})$ , and then in  $\text{Safe}(\text{Prom}(\{\text{success}\}))$ .

(vi)  $\Rightarrow$  (vii): trivial.

(vii)  $\Rightarrow$  (i): obvious because  $\text{Safe}(A) \subseteq A$  for any set  $A$  of locations.  $\square$

Using Lemma 5.5 and characterizations given by Theorems 4.1 and 4.7 we have:

$$\begin{aligned} \exists \mathcal{U} \Pr_{\mathcal{U}}((q_0, \varepsilon) \models \diamond \text{success}) = 1 \text{ iff } q_0 \in \text{Prom}(\{\text{success}\}) & \quad (\text{a.2}) \\ \text{iff in } \mathcal{L}, q_0 \xrightarrow{*} \text{accept}. & \end{aligned}$$


$$\begin{aligned} \exists \mathcal{U} \Pr_{\mathcal{U}}((q_0, \varepsilon) \models \square \diamond \text{success}) = 1 \text{ iff } q_0 \in \text{Safe}(\text{Prom}(\{\text{success}\})) & \quad (\text{b.2}) \\ \text{iff in } \mathcal{L}, q_0 \xrightarrow{*} \text{accept}. & \end{aligned}$$

$$\begin{aligned} \exists \mathcal{U} \Pr_{\mathcal{U}}((q_0, \varepsilon) \models \square \diamond \neg \text{success}) = 0 \text{ iff } q_0 \in \text{Prom}(\text{Safe}(\mathcal{Q} \setminus \{\text{success}\})) & \quad (\text{b.1}) \\ \text{iff in } \mathcal{L}, q_0 \xrightarrow{*} \text{accept}. & \end{aligned}$$

$$\begin{aligned} \exists \mathcal{U} \Pr_{\mathcal{U}}((q_0, \varepsilon) \models \square \diamond \neg \text{success}) < 1 \text{ iff } q_0 \xrightarrow{*} \mathcal{Q} \setminus \{\text{success}\} & \quad (\text{b.3}) \\ \text{iff in } \mathcal{L}, q_0 \xrightarrow{*} \text{accept}. & \end{aligned}$$

Thus,  $q_0 \xrightarrow{*} \text{accept}$ , a nonprimitive recursive problem, reduces to instances of (a.1), (b.2), (b.1), and (b.3).

We now prove case (a.3) of Theorem 5.4, using the reduction described in Figure 5.

Fig. 5. Associating  $\mathcal{L}'$  with an arbitrary LCS  $\mathcal{L}$  for case (a.3).

Here, with some LCS  $\mathcal{L}$  as before, we associate an LCS  $\mathcal{L}'$  by adding two special locations `sink` and `success`. As in the previous reduction, `success` is directly reachable from `accept` by an internal action  $\checkmark$ , and one can loop on `success`.

Now, each transition rule  $\delta : q \xrightarrow{op} r$  in  $\mathcal{L}$  is translated in  $\mathcal{L}'$  under the form  $q \xrightarrow{op} l_\delta \xrightarrow{! \$} l'_\delta \xrightarrow{? \$} r$ , using two intermediate locations  $l_\delta$  and  $l'_\delta$ , and a new message  $\$ \notin M$ . Thus, moving from  $q$  to  $r$  in  $\mathcal{L}'$  requires that one removes the extra  $\$$  that has just been inserted. This is obtained by a full rotation of the channel contents, using extra rules  $l'_\delta \xrightarrow{? a} \_ \xrightarrow{! a} l_\delta$  that exist for each  $a \in M$ . Finally, in case of deadlocks induced by message losses, one can go to the `sink` location.

The purpose of this reduction is to ensure that `accept` and `success` are the only locations from which one can surely, that is, with probability one, reach `success`. For all other locations, the channel may become empty along the way to `accept`, forcing the system to go to `sink`.

LEMMA 5.6. *In  $\mathcal{N} = (\mathcal{L}', \tau)$  the following assertions are equivalent:*

- (1)  $\exists \mathcal{U} \Pr_{\mathcal{U}}((q_0, \varepsilon) \models \diamond \text{sink}) < 1$ ,
- (2)  $q_0 \xrightarrow{*}_{[-\text{sink}]} \text{Safe}(Q \setminus \{\text{sink}\})$ ,
- (3)  $q_0 \xrightarrow{*}_{[-\text{sink}]} \{\text{accept}, \text{success}\}$ ,
- (4)  $q_0 \xrightarrow{*}_{[\mathcal{L}]} \{\text{accept}\}$ .

where here again “ $(q_0, \varepsilon) \xrightarrow{*}_{[\mathcal{L}]} \dots$ ” means that the path only visits original locations from  $\mathcal{L}$ .

PROOF. The equivalence between (1) and (2) is given by case (c) of Theorem 4.1. Then we show that  $\text{Safe}(Q \setminus \{\text{sink}\}) = \{\text{accept}, \text{success}\}$ . First  $\{\text{accept}, \text{success}\} \subseteq \text{Safe}(Q \setminus \{\text{sink}\})$  because from `accept` and `success` one can loop forever in `success` which is in  $Q \setminus \{\text{sink}\}$ . On the other hand, if we consider another location  $q$  different from `sink` (neither `success` nor `accept`) because of the reading operation between  $l'_\delta$  and  $r$ , there is a nonzero probability for the system to lose the message  $\$$  and be forced to go to `sink`. Hence  $\text{Safe}(Q \setminus \{\text{sink}\})$  is exactly  $\{\text{accept}, \text{success}\}$ . Equivalences of (2) with (3) and (4) follow from this equality.  $\square$




Fig. 6. The LCS  $\mathcal{L}'$  associated with  $\mathcal{L}$  in proof of Theorem 5.7.

Thus the nonprimitive recursive problem “does  $(q_0, \varepsilon) \xrightarrow{*}$  accept” reduces to a special instance of problem (a.3) in Theorem 5.4.

### 5.3 Undecidability

**5.3.1 An undecidability result for repeated eventually properties.** We will now combine the cleaning gadget with an arbitrary lossy channel system to get a reduction from the boundedness problem for LCS’s to the question whether a single Büchi constraint  $\square\Diamond A$  holds with positive probability under some scheduler. Recall that an LCS  $\mathcal{L}$  is *bounded* (also space-bounded) for a given a starting configuration if the set of reachable configurations is finite.

**THEOREM 5.7 (SINGLE BÜCHI PROPERTY, POSITIVE PROBABILITY).** *The problem, given  $\mathcal{N}$  a NPLCS,  $q$  a location, and  $A$  a set of locations, whether there exists a scheduler  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square\Diamond A) > 0$ , is undecidable.*

The remainder of this section is concerned with the proof of Theorem 5.7. Let  $\mathcal{L} = (\mathcal{Q}, \{c\}, M, \Delta)$  be a LCS with a single channel  $c$  and a designated initial configuration  $(q, \varepsilon)$ . We modify  $\mathcal{L}$  by adding the cleaning gadget and two locations: success and sink. We also add rules allowing to jump from every “original” location in  $\mathcal{Q}$  to retry or success. When in success, one can move to retry with a read or move to sink, which cannot be left. When in retry, one can go back to  $(q, \varepsilon)$  through the cleaning gadget. The whole construction is depicted in Figure 6.

Let  $\mathcal{L}'$  be the resulting LCS which we consider as an NPLCS with some fault rate  $\tau$ :  $\mathcal{N} = (\mathcal{L}', \tau)$ . Since the cleaning gadget lets one go back to the initial configuration of  $\mathcal{L}$ , any behavior of  $\mathcal{L}'$  is a succession of behaviors of  $\mathcal{L}$  separated by visits to the additional locations. The idea of this construction is the following: if  $\mathcal{L}$  is bounded, then even the best scheduler cannot visit success infinitely often without ending up in sink almost surely. However, if the system  $\mathcal{L}$  is unbounded, some infinite memory scheduler can achieve this. These ideas are formalized in Propositions 5.8 and 5.9.

**PROPOSITION 5.8.** *Assume that  $\mathcal{L}$  starting from  $(q, \varepsilon)$  is bounded. Then, for all schedulers  $\mathcal{U}$  for  $\mathcal{N} = (\mathcal{L}', \tau)$ ,  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square\Diamond \text{success}) = 0$ .*

PROOF. Let  $\mathcal{U}$  be any scheduler for  $\mathcal{N}$  and consider the  $\mathcal{U}$ -paths that visit success infinitely often. Let  $\pi$  be one such path: either  $\pi$  jumps from  $\mathcal{L}$  to success infinitely many times, or it ends up in sink. In the last case,  $\pi$  does not satisfy  $\Box\Diamond\text{success}$ . In the first case, and since  $\mathcal{L}$  is bounded,  $\pi$  can only jump to success from finitely many different configurations. Hence, for each such jump, the probability that it ends in  $(\text{success}, \varepsilon)$  is at least  $\tau^m$ , where  $m$  is the size of the largest reachable configuration in  $\mathcal{L}$ . Therefore, the configurations  $(\text{success}, \varepsilon)$  will be visited almost surely. As only the transition rule

$$\text{success} \xrightarrow{\checkmark} \text{sink}$$

is enabled in  $(\text{success}, \varepsilon)$ , with probability 1 the location sink is eventually reached. Since success is not reachable from sink, the property  $\Box\Diamond\text{success}$  holds with zero probability.  $\square$

PROPOSITION 5.9. *Assume that  $\mathcal{L}$  starting from  $(q, \varepsilon)$  is unbounded. Then, there exists a scheduler  $\mathcal{U}$  for  $\mathcal{N} = (\mathcal{L}', \tau)$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box\Diamond\text{success}) > 0$ .*

PROOF. We describe the required scheduler  $\mathcal{U}$ . Because  $\mathcal{L}$  is unbounded, we can pick a sequence  $((r_n, w_n))_{n=1,2,\dots}$  of reachable configurations such that  $|w_n| \geq n$ . The scheduler works in phases numbered 1, 2,  $\dots$ . When phase  $n$  starts,  $\mathcal{U}$  is in the initial configuration  $(q, \varepsilon)$  and tries to reach  $(r_n, w_n)$ . In principle, this can be achieved (since  $(r_n, w_n)$  is reachable), but it requires that the right messages are lost at the right times. These losses are probabilistic and  $\mathcal{U}$  cannot control them. Thus  $\mathcal{U}$  aims for  $(r_n, w_n)$  and hopes for the best. It goes on according to plan as long as losses occur as hoped. When a “wrong” loss occurs,  $\mathcal{U}$  resigns temporarily, jumps directly to retry, reaches the initial configuration  $(q, \varepsilon)$  via the cleaning gadget, and then tries again to reach  $(r_n, w_n)$ . When  $(r_n, w_n)$  is eventually reached (which will happen almost surely given enough retries),  $\mathcal{U}$  jumps to success, from there to retry, and initiates phase  $n + 1$ . With these successive phases,  $\mathcal{U}$  tries to visit success (and retry) an infinite number of times. We now show that it succeeds with nonzero probability.

When moving from configuration  $(r_n, w_n)$  to location success, there is a nonzero probability  $\mathbf{P}_{\text{lost}}(w_n, \varepsilon)$  that all messages in the channel are lost, leaving us in  $(\text{success}, \varepsilon)$ . When this happens,  $\mathcal{U}$  is not able to initiate phase  $n + 1$  (moving from success to retry requires a nonempty channel). Instead  $\mathcal{U}$  will move to sink and stay there forever. However, the probability for this exceptional behavior is strictly less than 1, as we have:

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box\Diamond\text{success}) = \prod_{n=1}^{\infty} (1 - \mathbf{P}_{\text{lost}}(w_n, \varepsilon)) \geq \prod_{n=1}^{\infty} (1 - \tau^n) > 0. \quad \square$$

Observe that the scheduler we constructed is recursive but not finite-memory (since it records the index of the current phase).

*Remark 5.10.* Proposition 5.9 can be strengthened: if  $\mathcal{L}$  is unbounded, then for all constant  $c < 1$ , there exists a scheduler  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box\Diamond\text{success}) > c$ .






Fig. 7. The LCS  $\mathcal{L}'$  associated with  $\mathcal{L}$  in proof of Lemma 5.12.

**COROLLARY 5.11.** *Let  $\mathcal{L}$  be a LCS. Then,  $\mathcal{L}$  is unbounded if and only if there exists a scheduler  $\mathcal{U}$  for  $\mathcal{N} = (\mathcal{L}', \tau)$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond \text{success}) > 0$ .*

This proves Theorem 5.7 since it is undecidable whether a given LCS is bounded [Mayr 2003].

By duality we obtain the undecidability of the problem to check whether  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Diamond \Box A) = 1$  for all schedulers  $\mathcal{U}$  for a given NPLCS  $\mathcal{N}$ .

**5.3.2 Other undecidability results.** We now discuss the decidability of the problem that asks for a scheduler  $\mathcal{U}$  where  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \varphi)$  is 1,  $< 1$ ,  $= 0$  or  $> 0$  and where  $\varphi$  is an LTL-formula. We begin with the special case of a strong fairness (Streett condition)  $\varphi = \bigwedge_{1 \leq i \leq n} (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)$ . We will see that all variants of the qualitative model checking problem for such Streett conditions are undecidable when ranging over the full class of schedulers. In particular, this yields the undecidability of the LTL model checking problem when considering all schedulers. However, when we shrink our attention to finite-memory schedulers qualitative model checking is decidable for properties specified by Streett conditions or even  $\omega$ -regular formulas.

We first establish the undecidability results when ranging over all schedulers. In fact, already a special kind of Streett properties with the probabilistic satisfaction criterion “almost surely” cannot be treated algorithmically:

**LEMMA 5.12.** *The problem, given NPLCS  $\mathcal{N}$ , sets of locations  $A, B \subseteq Q$ , and location  $q \in Q$ , whether there exists a scheduler  $\mathcal{U}$  with*

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond B \wedge \Diamond \Box A) = 1,$$

*is undecidable.*

**PROOF.** The proof is again by a reduction from the boundedness problem for LCS as in Section 5.3.1. Let  $\mathcal{L}$  be an LCS. We build a new LCS  $\mathcal{L}'$  by combining  $\mathcal{L}$  with the cleaning gadget as shown in Figure 7 (this is a variant of the previous construction). Let  $\mathcal{N} = (\mathcal{L}', \tau)$ .

There exists a scheduler  $\mathcal{U}$  for  $\mathcal{N}$  with  $\Pr_{\mathcal{U}}((q_0, \varepsilon) \models \Box \Diamond \text{success} \wedge \Diamond \Box \neg \text{fail}) = 1$  iff  $\mathcal{L}$  is unbounded (starting from  $(q_0, \varepsilon)$ ).

For these two constructions, the “same” scheduler is used in the positive cases. For the second construction, the proof for the positive case observes that

$$\Pr_{\mathcal{U}}((q_0, \varepsilon) \models \Box \Diamond \text{success} \wedge \Diamond \Box \neg \text{fail}) = \lim_{n \rightarrow \infty} \prod_{k=n}^{\infty} (1 - \tau^k) = 1.$$

where  $n$  stands for the phase number from which fail will not be visited again.  $\square$

**THEOREM 5.13 (STREETT PROPERTIES).** *For the following qualitative properties (a), . . . , (d), the problem, given a NPLCS  $\mathcal{N}$ , location  $q \in \mathcal{Q}$ , and  $2n$  sets of locations  $A_1, B_1, \dots, A_n, B_n \subseteq \mathcal{Q}$ , whether there exists a scheduler  $\mathcal{U}$  such that*

- (a)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) > 0$ ,
- (b)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) < 1$ ,
- (c)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) = 1$ ,
- (d)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) = 0$ ,

is undecidable.

**PROOF.**

- (a) follows immediately from Theorem 5.7 as  $\bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)$  agrees with  $\Box \Diamond B$  if we take  $n = 1$ ,  $A_1 = \mathcal{Q}$  and  $B_1 = B$ .
- (b) We show that already the question whether there is some scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \Rightarrow \Box \Diamond B) < 1$  is undecidable where  $A$  and  $B$  are sets of locations. This follows from Theorem 5.7 and the fact that for  $B = \emptyset$

$$\begin{aligned} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \Rightarrow \Box \Diamond B) < 1 \\ \text{iff} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \neg(\Box \Diamond A \Rightarrow \Box \Diamond B)) > 0 \\ \text{iff} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \wedge \underbrace{\Diamond \Box (Q \setminus B)}_{\equiv \text{true since } B = \emptyset}) > 0 \\ \text{iff} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A) > 0. \end{aligned}$$

- (c) follows by Lemma 5.12 with  $n = 2$ ,  $A_1 = \mathcal{Q}$ ,  $B_1 = B$ ,  $A_2 = \mathcal{Q} \setminus A$  and  $B_2 = \emptyset$  which yields

$$\begin{aligned} \bigwedge_{1 \leq i \leq n} (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i) & \equiv \left( \underbrace{\Box \Diamond \mathcal{Q}}_{\equiv \text{true}} \Rightarrow \Box \Diamond B \right) \wedge \left( \Box \Diamond (\mathcal{Q} \setminus A) \Rightarrow \underbrace{\Box \Diamond \emptyset}_{\equiv \text{false}} \right) \\ & \equiv \Box \Diamond B \wedge \Diamond \Box A. \end{aligned}$$

- (d) We show the undecidability of the question whether  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \Rightarrow \Box \Diamond B) = 0$  for some  $\mathcal{U}$  where  $A, B \subseteq \mathcal{Q}$  are given sets of locations. This follows from Lemma 5.12 and the fact that

$$\begin{aligned} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \Rightarrow \Box \Diamond B) = 0 \\ \text{iff} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \neg(\Box \Diamond A \Rightarrow \Box \Diamond B)) = 1 \\ \text{iff} & \Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \wedge \Diamond \Box (Q \setminus B)) = 1. \quad \square \end{aligned}$$

	$\mathbb{P}(\dots) < 1$	$\mathbb{P}(\dots) > 0$	$\mathbb{P}(\dots) = 1$	$\mathbb{P}(\dots) = 0$
$\diamond A$	D	D	D	D (NLOGSPACE)
$\square A$	D	D	D (NLOGSPACE)	D
$\bigwedge_i \diamond A_i$	D	D	D	D
$\bigvee_i \square A_i$	D	D	D	D
$\bigwedge_i \square \diamond A_i$	D	U	D	D
$\bigvee_i \diamond \square A_i$	U	D	D	D
$\bigwedge_i (\square \diamond A_i \Rightarrow \square \diamond B_i)$	U	U	U	U
$\bigvee_i (\diamond \square A_i \wedge \square \diamond B_i)$	U	U	U	U

Fig. 8. (Un)Decidability of qualitative verification.

Figure 8 summarizes the decidability and undecidability results obtained so far.

## 6. RESTRICTION TO FINITE-MEMORY SCHEDULERS

In all decidable cases of Section 4, finite-memory schedulers are sufficient. In this section we consider the problems of Section 5, considering only finite-memory schedulers. With this restriction, all problems are decidable.

We first give an immediate property of finite-memory schedulers that will be used in the whole section.

**PROPOSITION 6.1.** *For any finite-memory scheduler  $\mathcal{U}$  and any location  $q$  we have:*

- (a) *If  $p$  is a location and  $u$  a mode in  $\mathcal{U}$  and if  $T$  denotes the set of all configurations  $t$  that are reachable from  $(p, \varepsilon)_u$  by  $\mathcal{U}$  then*

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond (p, \varepsilon)_u) = \Pr_{\mathcal{U}}\left((q, \varepsilon) \models \bigwedge_{s \in T} \square \diamond s\right)$$

- (b)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond A) = \Pr_{\mathcal{U}}((q, \varepsilon) \models \square \diamond A_\varepsilon)$ .

**PROOF.** (a) If configuration  $s_u$  in the Markov chain  $MC_{\mathcal{U}}$  is visited infinitely often, then almost surely all direct successors of  $s_u$  are visited infinitely often too. We now may repeat this argument for the direct successors of the direct successors of  $s_u$ , and so on. We obtain that almost surely all configurations that are reachable from  $s_u$  are visited infinitely often, provided that  $s_u$  is visited infinitely often.

(b) follows from (a) using the fact that the set of all  $(p, \varepsilon)_u$  for  $p$  a location and  $u$  a mode of  $\mathcal{U}$ , is a finite attractor, and observing that if  $(a, w)$  is reachable within one step from configuration  $s$  then so is  $(a, \varepsilon)$  as all messages can be lost.  $\square$

Observe that the existence of a scheduler  $\mathcal{U}$  for which a Büchi property holds with positive probability does not imply the existence of a finite-memory scheduler with the same property. This is a consequence of Theorem 5.7 and the next theorem (6.2).

**THEOREM 6.2 (GENERALIZED BÜCHI, POSITIVE PROBABILITY).** *The problem, given NPLCS  $\mathcal{N}$ , location  $q \in \mathcal{Q}$ , and sets of locations  $A_1, \dots, A_n \subseteq \mathcal{Q}$ , whether there*

exists a finite-memory scheduler  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} \square \diamond A_i) > 0$ , is decidable.

PROOF. We show that the following statements (1) and (2) are equivalent:

- (1) there exists a finite-memory scheduler  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} \square \diamond A_i) > 0$ .
- (2) there exists a location  $x \in Q$  such that
  - (2.1)  $(q, \varepsilon) \xrightarrow{*} (x, \varepsilon)$
  - (2.2) there is a finite-memory scheduler  $\mathcal{V}$  with  $\Pr_{\mathcal{V}}((x, \varepsilon) \models \bigwedge_{1 \leq i \leq n} \square \diamond A_i) = 1$ .

This will prove Theorem 6.2 since by Theorem 4.7 (a), there is an algorithmic way to compute the set  $X$  of locations  $x$  such that  $\Pr_{\mathcal{V}}((x, \varepsilon) \models \bigwedge_{1 \leq i \leq n} \square \diamond A_i) = 1$  for some (finite-memory) scheduler  $\mathcal{V}$ . We then may check (2.1) by an ordinary reachability analysis in the underlying LCS.

Let us show the equivalence of (1) and (2).

(1)  $\Rightarrow$  (2): Let  $\mathcal{U}$  be a finite-memory scheduler as in (1). The finite-attractor property and Proposition 6.1 yield that there is some location  $x$  and mode  $u$  of  $\mathcal{U}$  with

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} \square \diamond A_i \wedge \bigwedge_{t \in T} \square \diamond t \right) > 0$$

where  $T$  is the set of configurations that are reachable from  $(x, \varepsilon)_u$  under  $\mathcal{U}$ . Using definition of  $T$ , this yields  $T \cap A_i \neq \emptyset$  for  $1 \leq i \leq n$ . Thus, scheduler  $\mathcal{U}$  starting in  $(x, \varepsilon)$  in mode  $u$  visits almost surely any configuration in  $T$  infinitely often. Hence, it visits any set  $A_i$  for  $i = 1, \dots, n$ , infinitely often (with probability one). That is:

$$\Pr_{\mathcal{U}} \left( (x, \varepsilon)_u \models \bigwedge_{1 \leq i \leq n} \square \diamond A_i \right) = 1,$$

and (2) holds.

(2)  $\Rightarrow$  (1): Let  $q, x$  and  $\mathcal{V}$  be as in (2). We define  $\mathcal{U}$  as the finite-memory scheduler that generates with positive probability a path from  $(q, \varepsilon)$  to  $(x, \varepsilon)$  and behaves as  $\mathcal{V}$  from  $(x, \varepsilon)$  on. Clearly, we then have  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} \square \diamond A_i) > 0$ .  $\square$

We now present algorithms for the four variants of qualitative model checking of Streett properties for NPLCS's when ranging over finite-memory schedulers.

**THEOREM 6.3 (STREETT PROPERTIES).** *For qualitative properties (a), ..., (d), the problem, given NPLCS  $\mathcal{N}$ , location  $q \in Q$ , and  $2n$  sets of locations  $A_1, B_1, \dots, A_n, B_n \subseteq Q$ , whether there exists a finite-memory scheduler  $\mathcal{U}$  satisfying*

- (a)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} (\square \diamond A_i \Rightarrow \square \diamond B_i)) < 1$ ,
- (b)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} (\square \diamond A_i \Rightarrow \square \diamond B_i)) > 0$ ,
- (c)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} (\square \diamond A_i \Rightarrow \square \diamond B_i)) = 1$ ,
- (d)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} (\square \diamond A_i \Rightarrow \square \diamond B_i)) = 0$ ,

is decidable.

We prove each assertion in the rest of this section.

**ad (a)** of Theorem 6.3:  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) < 1$ .

Let us consider the dual problem whether, for all finite-memory schedulers  $\mathcal{U}$ ,

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i) \right) = 1.$$

Clearly, the above holds iff

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A_i \Rightarrow \Box \Diamond B_i) = 1$$

for all finite-memory schedulers  $\mathcal{U}$  and all indices  $i = 1, \dots, n$ . Thus, it suffices to present an algorithm that solves the problem whether  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \Rightarrow \Box \Diamond B) = 1$  for all finite-memory schedulers  $\mathcal{U}$  where  $A$  and  $B$  are given sets of locations. The latter is equivalent to the nonexistence of a finite-memory scheduler  $\mathcal{U}$  such that

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \wedge \Diamond \Box (Q \setminus B)) > 0.$$

We now explain how to check this condition algorithmically. Let  $\mathcal{N}'$  be the NPLCS that arises from  $\mathcal{N}$  by removing all locations  $b \in B$ . To ensure that any configuration has at least one outgoing transition, we add a new location *fail* with

- a self-loop  $\text{fail} \xrightarrow{\vee} \text{fail}$  and
- transition rules  $p \xrightarrow{op} \text{fail}$  if  $p \xrightarrow{op} b$  for some location  $b \in B$ .

Using Theorem 6.2, we can compute the set  $P$  of locations  $p \in Q \setminus B$  such that there is a finite-memory scheduler  $\mathcal{U}'$  for  $\mathcal{N}'$  with  $\Pr_{\mathcal{U}'}((p, \varepsilon) \models \Box \Diamond A) > 0$ . That is,

$$P = \left\{ p \in Q \mid \begin{array}{l} \text{there is some finite-memory scheduler } \mathcal{U} \text{ for } \mathcal{N} \\ \text{with } \Pr_{\mathcal{U}}((p, \varepsilon) \models \Box \Diamond A \wedge \Box \neg B) > 0 \end{array} \right\}.$$

We show the equivalence of the following two statements:

- (1)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \wedge \Diamond \Box \neg B) > 0$  for some finite-memory scheduler  $\mathcal{U}$  for  $\mathcal{N}$ ,
- (2)  $\Pr_{\mathcal{V}}((q, \varepsilon) \models \Diamond P) > 0$  for some finite-memory scheduler  $\mathcal{V}$  for  $\mathcal{N}$ .

(1)  $\Rightarrow$  (2): Let  $\mathcal{U}$  be a finite-memory scheduler as in (1). By Proposition 6.1, we may conclude that there exists a location  $a \in A$  and a mode  $u$  such that

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigwedge_{s \in T} \Box \Diamond s \wedge \Diamond \Box \neg B \right) > 0$$

where  $T$  is the set of states that are reachable in the Markov chain  $MC_{\mathcal{U}}$  from  $(a, \varepsilon)_u$ , that is, from configuration  $(a, \varepsilon)$  in mode  $u$ . We then have  $T \cap B = \emptyset$  and

$$\Pr_{\mathcal{U}} \left( (a, \varepsilon)_u \models \bigwedge_{s \in T} \Box \Diamond s \wedge \Diamond \Box \neg B \right) = \Pr_{\mathcal{U}}((a, \varepsilon)_u \models \Box \Diamond A \wedge \Box \neg B) = 1.$$

Hence,  $a \in P$  and  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Diamond P) > 0$ .

(2)  $\Rightarrow$  (1): Let  $\mathcal{V}$  be a finite-memory scheduler as in (2). For any location  $p \in P$ , there is a finite-memory scheduler  $\mathcal{U}_p$  such that

$$\Pr_{\mathcal{U}_p}((p, \varepsilon) \models \Box \Diamond A \wedge \Box \neg B) > 0.$$

We now may compose  $\mathcal{V}$  and the schedulers  $\mathcal{U}_p$  to obtain a finite-memory scheduler  $\mathcal{U}$  which first mimics  $\mathcal{V}$  until we reach a configuration  $(p, \varepsilon)$  for some  $p \in P$  (which happens with positive probability) and which then behaves as  $\mathcal{U}_p$ . Clearly, we then have  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond A \wedge \Box \neg B) > 0$ .

**ad (b)** of Theorem 6.3:  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) > 0$ .

Let  $I \subseteq \{1, \dots, n\}$  and  $\mathcal{N}_I$  be the NPLCS that arises from  $\mathcal{N}$  by removing the locations  $b \in A_i$  where  $i \in \{1, \dots, n\} \setminus I$ , and adding a new location `fail` as in the proof of ad (a) (of the present Theorem).

Let  $C_I$  be the set of locations  $z \in \mathcal{Q}$  such that  $\Pr_{\mathcal{U}}((z, \varepsilon) \models \bigwedge_{i \in I} \Box \Diamond B_i) = 1$  for some (finite-memory) scheduler  $\mathcal{U}$  for  $\mathcal{N}_I$ . Note that under such a scheduler  $\mathcal{U}$  the new location `fail` is not reachable from  $(c, \varepsilon)$ . Then, we have  $z \in C_I$  iff there exists a finite-memory scheduler  $\mathcal{U}_z$  for the original NPLCS  $\mathcal{N}$  with

$$\Pr_{\mathcal{U}_z} \left( (z, \varepsilon) \models \bigwedge_{i \in I} \Box \Diamond B_i \wedge \bigwedge_{\substack{i \in \{1, \dots, n\} \\ i \notin I}} \Box \neg A_i \right) = 1.$$

In particular,  $\Pr_{\mathcal{U}_z}((z, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) = 1$  for all  $z \in Z$ .

The  $C_I$ 's can be computed with the technique explained in the proof of Theorem 4.7 (part (a)). Let  $C$  be the union of all  $C_I$ 's. Then, the following statements are equivalent:

- (1)  $C$  is reachable from  $(q, \varepsilon)$
- (2)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) > 0$  for some finite-memory scheduler  $\mathcal{U}$ .

(1)  $\Rightarrow$  (2): Let us assume that  $C$  is reachable from  $(q, \varepsilon)$ . Then, there is a memoryless scheduler  $\mathcal{U}_{init}$  such that  $\Pr_{\mathcal{U}_{init}}((q, \varepsilon) \models \Diamond C) > 0$ . Hence, there is some  $z \in C$  such that

$$\Pr_{\mathcal{U}_{init}}((q, \varepsilon) \models \Diamond(z, \varepsilon)) > 0.$$

We then may combine  $\mathcal{U}_{init}$  and  $\mathcal{U}_z$  to obtain a finite-memory scheduler  $\mathcal{U}$  with the desired property.

(2)  $\Rightarrow$  (1): Let us now assume that  $\mathcal{U}$  is a finite-memory scheduler such that

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i) \right) > 0.$$

Then, there is some  $I \subseteq \{1, \dots, n\}$  such that

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigwedge_{i \in I} \Box \Diamond B_i \wedge \bigwedge_{i \notin I} \Diamond \Box \neg A_i \right) > 0.$$

The finite-attractor property yields the existence of some location  $z$  and a mode  $u$  of  $\mathcal{U}$  such that

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \Box \Diamond(z, \varepsilon)_u \wedge \bigwedge_{i \in I} \Box \Diamond B_i \wedge \bigwedge_{i \notin I} \Diamond \Box \neg A_i \right) > 0.$$

As visiting  $(z, \varepsilon)_u$  infinitely often ensures that almost surely all configurations that are reachable from  $(z, \varepsilon)_u$  are visited infinitely often too (see Proposition 6.1), we obtain

$$\Pr_{\mathcal{U}} \left( (z, \varepsilon)_u \models \bigwedge_{i \in I} \Box \Diamond B_i \wedge \bigwedge_{i \notin I} \Box \neg A_i \right) = 1.$$

Hence,  $z \in C_I \subseteq C$ . This yields that  $C$  is reachable from  $(q, \varepsilon)$ .

**ad (c)** of Theorem 6.3:  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) = 1$ .

Let  $C$  be as in the proof of ad (b). We establish the equivalence of the following statements:

- (1)  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) = 1$  for some finite-memory scheduler  $\mathcal{U}$ ,
- (2)  $\Pr_{\mathcal{V}}((q, \varepsilon) \models \Diamond C) = 1$  for some finite-memory scheduler  $\mathcal{V}$ .

(2)  $\Rightarrow$  (1): Let  $\mathcal{V}$  be a finite-memory scheduler such that  $\Pr_{\mathcal{V}}((q, \varepsilon) \models \Diamond C) = 1$ . For  $z \in C$ , let  $\mathcal{U}_z$  be a finite-memory scheduler as in the proof of assertion (b). That is such that

$$\Pr_{\mathcal{U}_z} \left( (z, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i) \right) = 1.$$

Then, we may compose  $\mathcal{V}$  and the finite-memory schedulers  $\mathcal{U}_z$  to obtain a finite-memory scheduler  $\mathcal{U}$  such that

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i) \right) = 1.$$

Starting in  $(q, \varepsilon)$ ,  $\mathcal{U}$  mimics  $\mathcal{V}$  until a configuration  $(z, w)$  with  $z \in C$  is reached (this happens with probability 1). Then, for  $w \neq \varepsilon$ ,  $\mathcal{U}$  chooses the transition rule

$$\delta_z = z \xrightarrow{op} y$$

that  $\mathcal{U}_z$  chooses for  $(z, \varepsilon)$  in its initial mode. Note that  $\delta_z$  is enabled in  $(z, w)$ , and all successors of  $(z, w)$  under  $\delta_z$  have the form  $(y, w')$  for some channel valuation  $w'$ . Moreover, location  $y$  belongs to  $C$  as  $\mathcal{U}_z$  induces a scheduler  $\mathcal{U}'_z$  with

$$\Pr_{\mathcal{U}'_z} \left( (y, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i) \right) = 1.$$

Hence, if  $w' \neq \varepsilon$  then  $\mathcal{U}$  may choose the transition rule  $\delta_y$  that  $\mathcal{U}_y$  chooses for its starting configuration  $(y, \varepsilon)$ .  $\mathcal{U}$  continues in that way until it reaches a configuration  $(x, \varepsilon)$ . (The finite-attractor property ensures that this happens with probability 1.) The preceding construction ensures that  $x \in C$ . After reaching  $(x, \varepsilon)$ ,  $\mathcal{U}$  behaves as  $\mathcal{U}_x$ , ensuring that  $\bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)$  holds almost surely.

(1)  $\Rightarrow$  (2): Let  $\mathcal{U}$  be a finite-memory scheduler such that

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i) \right) = 1.$$

We show that:

For any location  $p \in \mathcal{Q}$ : if  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond (p, \varepsilon)) > 0$  then  $p \in C$ . (\*)



Using the fact that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{p \in Q} \Box \Diamond (p, \varepsilon)) = 1$ , (\*) yields  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Diamond C) = 1$ .

**PROOF (OF \*).** Assume that  $u$  is a mode in  $\mathcal{U}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond (p, \varepsilon)_u) > 0$ . Let  $T$  be the set of states that are reachable from  $(p, \varepsilon)_u$  in the Markov chain for  $\mathcal{U}$ . Then, by Proposition 6.1:

$$\Pr_{\mathcal{U}}\left((q, \varepsilon) \models \bigwedge_{t \in T} \Box \Diamond t\right) > 0.$$

Hence,

$$\Pr_{\mathcal{U}}\left((q, \varepsilon) \models \bigwedge_{t \in T} \Box \Diamond t \wedge \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)\right) > 0.$$

Let  $I$  be the set of indices  $i \in \{1, \dots, n\}$  such that  $T \cap A_i \neq \emptyset$ . Then,  $T \cap B_i \neq \emptyset$  for all  $i \in I$ . Hence,

$$\Pr_{\mathcal{U}}\left((p, \varepsilon)_u \models \bigwedge_{i \in I} \Box \Diamond B_i \wedge \bigwedge_{i \notin I} \Box \neg A_i\right) = 1.$$

Thus,  $p \in C_I \subseteq C$ .  $\square$

**ad (d) of Theorem 6.3:**  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigwedge_{1 \leq i \leq n} (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)) = 0$ .

We deal with the negation of the Streett formula:

$$\Pr_{\mathcal{U}}\left((q, \varepsilon) \models \bigwedge_{i=1}^n (\Box \Diamond A_i \Rightarrow \Box \Diamond B_i)\right) = 0 \text{ iff } \Pr_{\mathcal{U}}\left((q, \varepsilon) \models \bigvee_{i=1}^n (\Box \Diamond A_i \wedge \Diamond \Box \neg B_i)\right) = 1.$$

Thus, it suffices to establish the decidability of the question whether there is a finite-memory scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{i=1}^n (\Box \Diamond A_i \wedge \Diamond \Box \neg B_i)) = 1$ .

For  $i \in \{1, \dots, n\}$ , let  $\mathcal{N}_i$  be the NPLCS that arises from  $\mathcal{N}$  by removing all locations in  $B_i$ , possibly adding a new location `fail` (as in the proof of case (a)). Let  $C_i$  be the set of locations  $z \in Q$  such that there exists a scheduler  $\mathcal{U}_i$  for  $\mathcal{N}_i$  with

$$\Pr_{\mathcal{U}_i}((z, \varepsilon) \models \Box \Diamond A_i) = 1.$$

The set  $C_i$  can be computed with the techniques sketched in Theorem 4.7 ad (a). Then,  $z \in C_i$  iff there exists a scheduler  $\mathcal{U}_i$  for the original NPLCS  $\mathcal{N}$  with

$$\Pr_{\mathcal{U}_i}((z, \varepsilon) \models \Box \Diamond A_i \wedge \Box \neg B_i) = 1.$$

Let  $C = C_1 \cup \dots \cup C_n$ . Then, the following two statements are equivalent:

(1) There is a finite-memory scheduler  $\mathcal{U}$  with  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \bigvee_{1 \leq i \leq n} (\Box \Diamond A_i \wedge \Diamond \Box \neg B_i)) = 1$ .

(2) There is a scheduler  $\mathcal{V}$  with  $\Pr_{\mathcal{V}}((q, \varepsilon) \models \Diamond C) = 1$ .

(1)  $\Rightarrow$  (2): Let  $\mathcal{U}$  be as in (1). Assume  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Diamond C) < 1$ . Then,

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box (Q \setminus C)) > 0.$$

By the finite attractor property there exists a location  $x$  such that

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond (x, \varepsilon) \wedge \Box (Q \setminus C)) > 0.$$

As  $\mathcal{U}$  is finite-memory there is a mode  $u$  of  $\mathcal{U}$  such that the preceding condition holds for  $(x, \varepsilon)$  in mode  $u$ , that is,

$$\Pr_{\mathcal{U}}((q, \varepsilon) \models \Box \Diamond (x, \varepsilon)_u \wedge \Box (\mathbf{Q} \setminus C)) > 0.$$

Let  $T$  be the set of configurations that are reachable from  $(x, \varepsilon)_u$  in the Markov chain induced by  $\mathcal{U}$ ,  $MC_{\mathcal{U}}$ . Then, almost surely  $\mathcal{U}$  visits all configurations in  $T$  infinitely often when starting in  $(x, \varepsilon)$  in mode  $u$ . We then have  $T \cap \{(z, w) \in \text{Conf} \mid z \in C\} = \emptyset$ , and hence,

$$T \cap \{(z, w) \in \text{Conf} : z \in C_i\} = \emptyset, \quad i = 1, \dots, n,$$

which gives us  $T \cap A_i = \emptyset$  or  $T \cap B_i \neq \emptyset$  for any  $i \in \{1, \dots, n\}$ . But then,

$$\Pr_{\mathcal{U}} \left( (x, \varepsilon)_u \models \bigvee_{i=1}^n (\Box \Diamond A_i \wedge \Diamond \Box B_i) \right) = 0.$$

Since  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Diamond (x, \varepsilon)_u) > 0$  this yields

$$\Pr_{\mathcal{U}} \left( (q, \varepsilon) \models \bigvee_{i=1}^n (\Box \Diamond A_i \wedge \Diamond \Box B_i) \right) < 1,$$

which contradicts assumption (1). We conclude  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \Diamond C) = 1$ .

(2)  $\Rightarrow$  (1): Let  $\mathcal{V}$  be as in (2). We may assume that  $\mathcal{V}$  is memoryless (see Lemmas 3.7 and 3.6). For any location  $z \in C$ , we choose a finite-memory scheduler  $\mathcal{V}_z$  for  $\mathcal{N}$  such that

$$\Pr_{\mathcal{V}_z}((z, \varepsilon) \models (\Box \Diamond A_i \wedge \Diamond \Box B_i)) = 1$$

for some  $i \in \{1, \dots, n\}$ . Let  $\mathcal{U}$  be the finite-memory scheduler that first behaves as  $\mathcal{V}$ , reaching  $C$  almost surely, and which, after having visited a location  $z \in C$ , mimics the schedulers  $\mathcal{V}_z$  as follows. When entering  $C$  the first time, say in configuration  $(z, w)$  where  $w \neq \varepsilon$ , then  $\mathcal{U}$  goes into a waiting mode where it waits until a configuration  $(z', \varepsilon)$  with  $z' \in C$  has been entered. From this configuration  $(z', \varepsilon)$  on,  $\mathcal{U}$  behaves as  $\mathcal{V}_{z'}$ . In the waiting mode,  $\mathcal{U}$  chooses the same transition rule for  $(z, w)$  as  $\mathcal{V}_z$  for the starting configuration  $(z, \varepsilon)$ .

Note that the configurations obtained from  $(z, w)$  by taking this transition rule have the form  $(z', w')$  where  $z' \in C$ . This is because  $(z', \varepsilon)$  is a successor of  $(z, \varepsilon)$  under this transition rule. Hence,  $\mathcal{V}_z$  induces a scheduler under which  $(z', \varepsilon)$  fulfills  $\Box \Diamond A_i \wedge \Diamond \Box B_i$  almost surely for some index  $i$ . This yields  $z' \in C_i \subseteq C$ .

The finite attractor property yields that  $\mathcal{U}$  will eventually leave the waiting mode. Thus,  $\mathcal{U}$  has the desired property.

## 7. $\omega$ -REGULAR PROPERTIES

We now consider qualitative verification of  $\omega$ -regular linear-time properties where, as before, we use the control locations of the underlying NPLCS as atomic propositions (with the obvious interpretation).

For algorithmic purposes, we assume that an  $\omega$ -regular property is given by a deterministic (word) Streett automaton with the alphabet  $Q$  (the set of control locations in the given NPLCS). Other equivalent formalisms (nondeterministic Streett automata, nondeterministic Büchi automata,  $\mu$ -calculus formulas, etc.)

are of course possible. The translations between them is now well understood. See, for example, the survey articles in Grädel et al. [2002].

A deterministic Streett automaton (DSA for short) over the alphabet  $Q$  is a tuple  $\mathcal{A} = (Z, \sigma, z_0, Acc)$  where  $Z$  is a finite set of states,  $\sigma : Z \times Q \rightarrow Z$  the transition function,  $z_0 \in Z$  the initial state, and  $Acc = \{(A_1, B_1), \dots, (A_n, B_n)\}$  a set of pairs  $(A_i, B_i)$  consisting of subsets  $A_i, B_i \subseteq Z$ .  $Acc$  is called the acceptance condition of  $\mathcal{A}$ . Intuitively,  $Acc$  stands for the strong fairness condition  $\psi_{\mathcal{A}} = \bigwedge_{i=1}^n (\square \diamond A_i \Rightarrow \square \diamond B_i)$ . The accepting language  $L(\mathcal{A})$  consists of all infinite words  $q_0, q_1, q_2, \dots \in Q^\omega$  where the induced run  $z_0 \xrightarrow{q_0} z_1 \xrightarrow{q_1} z_2 \xrightarrow{q_2} \dots$  in  $\mathcal{A}$  (which is obtained by starting in the initial state  $z_0$  of  $\mathcal{A}$  and putting  $z_{j+1} = \sigma(z_j, q_j)$ ,  $j = 0, 1, 2, \dots$ ) is accepting, that is, for all  $i \in \{1, \dots, n\}$ ,  $z_j \in A_i$  for at most finitely many indices  $j$  or  $z_j \in B_i$  for infinitely many indices  $j$ . For a path  $\pi$  of some NPLCS with state space  $Q$ , we write  $\pi \models \mathcal{A}$  when  $\pi$  (more precisely, its projection over  $Q^\omega$ ) belongs to  $L(\mathcal{A})$ .

Since Streett properties are  $\omega$ -regular, Theorem 5.13 immediately entails:

**COROLLARY 7.1** ( $\omega$ -REGULAR PROPERTIES). *The problem, given NPLCS  $\mathcal{N}$ , location  $q \in Q$ , and DSA  $\mathcal{A}$ , whether there exists a scheduler  $\mathcal{U}$  with  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \mathcal{A}) = 1$  (or  $<1$ , or  $=0$ , or  $>0$ ), is undecidable.*

More interesting is the fact that our positive results from Section 6 carry over from Streett properties to all  $\omega$ -regular properties:

**THEOREM 7.2** ( $\omega$ -REGULAR PROPERTIES, FINITE-MEMORY SCHEDULERS). *The problem, given NPLCS  $\mathcal{N}$ , location  $q \in Q$ , and DSA  $\mathcal{A}$ , whether there exists a finite-memory scheduler  $\mathcal{U}$  such that  $\text{Pr}_{\mathcal{U}}((q, \varepsilon) \models \mathcal{A}) = 1$  (or  $<1$ , or  $=0$ , or  $>0$ ), is decidable.*

The extension from repeated-reachability properties to  $\omega$ -regular properties follows the standard automata-theoretic approach for the verification of qualitative properties: one reduces the question whether  $\mathcal{N}$  is accepted by  $\mathcal{A}$  to a repeated-reachability property over the “product”  $\mathcal{N} \times \mathcal{A}$  [Vardi 1999]. We briefly sketch the main steps of the reduction that yields the proof for Theorem 7.2.

Let  $\mathcal{N}$  be a NPLCS and  $\mathcal{A}$  a DSA as before. The product  $\mathcal{N}' \stackrel{\text{def}}{=} \mathcal{N} \times \mathcal{A}$  is a NPLCS where:

- locations are pairs  $(p, z)$  where  $p \in Q$  is a location in  $\mathcal{N}$  and  $z \in Z$  a state of  $\mathcal{A}$ ,
- the channel set and the message alphabet are as in  $\mathcal{N}$ ,
- $(p, z) \xrightarrow{op} (r, z')$  is a transition rule in  $\mathcal{N} \times \mathcal{A}$  if and only if  $p \xrightarrow{op} r$  is a transition rule in  $\mathcal{N}$  and  $z' = \sigma(z, p)$ .

Then, each infinite path  $\pi$  in  $\mathcal{N}$ , of the general form

$$(q_0, w_0) \rightarrow (q_1, w_1) \rightarrow (q_2, w_2) \rightarrow (q_3, w_3) \dots \quad (\pi)$$

is lifted to a path  $\pi'$  in  $\mathcal{N} \times \mathcal{A}$

$$(q_0, z_0, w_0) \rightarrow (q_1, z_1, w_1) \rightarrow (q_2, z_2, w_2) \rightarrow (q_3, z_3, w_3) \dots \quad (\pi')$$

where  $z_{j+1} \stackrel{\text{def}}{=} \sigma(z_j, q_j)$  for all  $j \in \mathbb{N}$ . Thus,  $z_0 \xrightarrow{q_0} z_1 \xrightarrow{q_1} z_2 \xrightarrow{q_2} \dots$  is the (unique) run of  $\mathcal{A}$  on (the projection of)  $\pi$ . Vice versa, any path  $\pi'$  in  $\mathcal{N} \times \mathcal{A}$  arises through the combination of a path in  $\mathcal{N}$  and its run in  $\mathcal{A}$ .

Assume the acceptance condition of  $\mathcal{A}$  is given by the following Streett condition:  $\psi_{\mathcal{A}} = \bigwedge_{i=1}^n (\square \diamond A_i \Rightarrow \square \diamond B_i)$  with  $A_i, B_i \subseteq Z$ . Then, letting  $A'_i \stackrel{\text{def}}{=} Q \times A_i$  and  $B'_i \stackrel{\text{def}}{=} Q \times B_i$ , we equip  $\mathcal{N} \times \mathcal{A}$  with the acceptance condition  $\text{Acc}' = \{(A'_i, B'_i) : 1 \leq i \leq n\}$  which corresponds to the following Streett condition  $\psi_{\mathcal{N} \times \mathcal{A}}$ :

$$\bigwedge_{i=1}^n (\square \diamond A'_i \Rightarrow \square \diamond B'_i) \quad (\psi_{\mathcal{N} \times \mathcal{A}})$$

**LEMMA 7.3.** *Let  $\pi$  be a path in  $\mathcal{N}$  and  $\pi'$  the corresponding path in  $\mathcal{N}'$ . Then,  $\pi \models \mathcal{A}$  if and only if  $\pi' \models \psi_{\mathcal{N} \times \mathcal{A}}$ .*

This correspondence between paths in  $\mathcal{N}$  and paths in  $\mathcal{N}'$  allows to transform any scheduler  $\mathcal{U}$  for  $\mathcal{N}$  into a scheduler  $\mathcal{V}$  for  $\mathcal{N}'$  such that the probability agrees and vice versa. More precisely:

**LEMMA 7.4.** *Let  $p \in [0, 1]$ , then there exists a finite-memory scheduler  $\mathcal{U}$  for  $\mathcal{N}$  such that  $\Pr_{\mathcal{U}}((q, \varepsilon) \models \mathcal{A}) = p$  iff there exists a finite-memory scheduler  $\mathcal{V}$  for  $\mathcal{N} \times \mathcal{A}$  s.t.*

$$\Pr_{\mathcal{V}}((q, z_0, \varepsilon) \models \psi_{\mathcal{N} \times \mathcal{A}}) = p.$$

The proof is as in Courcoubetis and Yannakakis [1995, Section 4], the basic ingredient being that  $\mathcal{A}$  is deterministic.

Lemma 7.4 reduces the verification of qualitative  $\omega$ -regular properties over  $\mathcal{N}$  to the verification of qualitative Streett properties over  $\mathcal{N}'$ . Decidability is then obtained with Theorem 6.3.

## 8. CONCLUSION

We proposed NPLCS's, a model for lossy channel systems where message losses occur probabilistically while transition rules behave nondeterministically, and we investigated qualitative verification problems for this model. Our main result is that qualitative verification of simple linear-time properties is decidable, but this does not extend to all  $\omega$ -regular properties. On the other hand, decidability is recovered if we restrict our attention to finite-memory schedulers.

The NPLCS model improves on earlier models for lossy channel systems: the original, purely nondeterministic, LCS model is too pessimistic w.r.t. message losses and nondeterministic losses make liveness properties undecidable. It seems this undecidability is an artifact of the standard rigid view asking whether no incorrect behavior exists, when we could be content with the weaker statement that incorrect behaviors are extremely unlikely. The fully probabilistic PLCS model recovers decidability but cannot account for nondeterminism.

Regarding NPLCS's, decidability is obtained by reducing qualitative properties to reachability questions in the underlying nonprobabilistic transition system. Since in our model qualitative properties do not depend on the exact value of the fault rate  $\tau$ , the issue of what is a realistic value for  $\tau$  is avoided, and one can establish correctness results that apply uniformly to all fault rates.




Fig. 9. Running example for the proof of Lemma 3.5.

An important open question is the decidability of quantitative properties. Regarding this research direction, we note that Rabinovich [2003] investigated it for the fully probabilistic PLCS model, where it already raises serious difficulties.

## APPENDIX

### A. PROOF OF LEMMA 3.5

The goal is to prove that given  $A$  and  $B$  sets of locations,  $Prom(A \cup B) = Prom(A) \cup Prom(B)$ . One inclusion is trivial:  $Prom(A) \cup Prom(B) \subseteq Prom(A \cup B)$ . We prove here the reverse inclusion. In fact we build a scheduler that, starting from any  $(x, \varepsilon)$  for  $x \in Prom(A \cup B)$ , will ensure visiting eventually  $A$  or visiting eventually  $B$ , and the choice between  $A$  and  $B$  is fixed (given  $x$ ). Lemma 3.7 then yields  $Prom(A \cup B) \subseteq Prom(A) \cup Prom(B)$ .

For each  $x \in Prom(A \cup B)$  we pick a simple path to  $A \cup B$ , that only visits locations of  $Prom(A \cup B)$ . Such a path exists by definition of  $Prom$ , we denote it


$$\pi_x : (x, \varepsilon) = (x^0, w_x^0) \xrightarrow{\delta_x^0} (x^1, w_x^1) \xrightarrow{\delta_x^1} (x^2, w_x^2) \cdots \xrightarrow{\delta_x^{m-1}} (x^m, w_x^m)$$

with  $x^m \in A \cup B$  and  $x^i \in Prom(A \cup B)$  for  $i < m$ . By convention, we let  $x^i = x^{|\pi_x|}$  when  $i > |\pi_x|$ . For example, given the system depicted in Figure 9, with  $A = \{3\}$  and  $B = \{6\}$ , one has  $Prom(A \cup B) = \{1, 2, 3, 4, 5, 6\}$  and a possible choice for the paths  $\pi_x$  is given in Figure 10.

We now define a sequence  $\mathcal{P}_0, \mathcal{P}_1, \dots$  of partitions of  $Prom(A \cup B)$ . In general  $\mathcal{P}_k$  is some  $\{B_1^k, B_2^k, \dots\}$  and each class  $B_j^k \in \mathcal{P}_k$  comes with a fixed element  $b_j^k$  called its *representative* (which is underlined in the examples). The first partition is composed of all singletons:  $\mathcal{P}_0 = \{\{x\} \mid x \in Prom(A \cup B)\}$ . Partition  $\mathcal{P}_{k+1}$  is coarser than  $\mathcal{P}_k$ : each class in  $\mathcal{P}_{k+1}$  is the fusion of (possibly only one) classes of  $\mathcal{P}_k$ . Assume  $\mathcal{P}_k$  is given:  $\mathcal{P}_k = \{B_1^k, \dots\}$  with  $\{b_1^k, \dots\}$  as representatives. We define a mapping  $f_{k+1}$  between the classes of  $\mathcal{P}_k$ . For any class  $B_j^k$ , we consider its representative  $b_j^k$ , shortly written  $x$ , and associate with  $B_j^k$  the class to which  $x^{k+1}$  (the  $k+1$ -th location on  $\pi_x$ ) belongs. In our running example  $f_1$  is given on Figure 10.

The mapping  $f_{k+1}$  induces a directed graph (of out-degree 1). The classes of  $\mathcal{P}_{k+1}$  are obtained by fusing the classes of  $\mathcal{P}_k$  which belong to the same connected component in this graph. For example, in Figure 11, the classes  $B_1^k$ ,

$\pi_1 \stackrel{\text{def}}{=} (1, \varepsilon) \rightarrow (2, a) \rightarrow (6, \varepsilon)$	$f_1(\{\underline{1}\}) = \{2\}$	
$\pi_2 \stackrel{\text{def}}{=} (2, \varepsilon) \rightarrow (2, b) \rightarrow (1, bc) \rightarrow (2, c) \rightarrow (3, \varepsilon)$	$f_1(\{\underline{2}\}) = \{2\}$	$f_4(\{\underline{1}, \underline{2}\}) = \{3\}$
$\pi_3 \stackrel{\text{def}}{=} (3, \varepsilon)$	$f_1(\{\underline{3}\}) = \{3\}$	$f_4(\{\underline{3}\}) = \{3\}$
$\pi_4 \stackrel{\text{def}}{=} (4, \varepsilon) \rightarrow (4, b) \rightarrow (4, bb) \rightarrow (5, b) \rightarrow (6, \varepsilon)$	$f_1(\{\underline{4}\}) = \{4\}$	$f_4(\{\underline{4}, \underline{5}\}) = \{6\}$
$\pi_5 \stackrel{\text{def}}{=} (5, \varepsilon) \rightarrow (4, b) \rightarrow (4, bb) \rightarrow (5, b) \rightarrow (6, \varepsilon)$	$f_1(\{\underline{5}\}) = \{4\}$	
$\pi_6 \stackrel{\text{def}}{=} (6, \varepsilon)$	$f_1(\{\underline{6}\}) = \{6\}$	$f_4(\{\underline{6}\}) = \{6\}$

 Fig. 10. Running example (continued): paths  $\pi_x$  with mappings  $f_1$  and  $f_4$ .

 Fig. 11. Constructing  $\mathcal{P}_{k+1}$  by fusing equivalence classes from  $\mathcal{P}_k$ .

$B_2^k$ ,  $B_3^k$ ,  $B_4^k$  and  $B_5^k$  are fused. The representative for  $B_j^{k+1}$  is arbitrarily chosen among the representatives of the  $B_i^k$ 's that compose the strongly connected component ( $b_3^k$  or  $b_4^k$  in Figure 11). Back to the running example, we derive  $\mathcal{P}_1 = \{\{\underline{1}, \underline{2}\}, \{\underline{3}\}, \{\underline{4}, \underline{5}\}, \{\underline{6}\}\}$  with 2, 3, 4, 6 as representatives (no choice here). Partition  $\mathcal{P}_1$  is stable by  $f_2$  and  $f_3$ .

$$f_2, f_3 : \{\underline{1}, \underline{2}\} \rightarrow \{1, 2\} \quad \{\underline{3}\} \rightarrow \{3\} \quad \{\underline{4}, \underline{5}\} \rightarrow \{4, 5\} \quad \{\underline{6}\} \rightarrow \{6\}$$

Hence  $\mathcal{P}_3 = \mathcal{P}_2 = \mathcal{P}_1$ . Mapping  $f_4$  is given in Figure 10. We deduce  $\mathcal{P}_4 = \{\{\underline{1}, \underline{2}, \underline{3}\}, \{\underline{4}, \underline{5}, \underline{6}\}\}$  with 3 and 6 as representatives (no choice either).

It is clear that  $\mathcal{P}_{k+1}$  is coarser than  $\mathcal{P}_k$  and that a representative at level  $k+1$  was already a representative at level  $k$ . Hence the sequence eventually stabilizes (the state space is finite). We denote  $\mathcal{P}_\infty = \{B_1^\infty, \dots\}$  the partition in the limit. In the running example  $\mathcal{P}_\infty = \mathcal{P}_4$ .

This whole construction is geared towards the following:

**LEMMA A.1.** *For all  $k \geq 1$ , there exists a scheduler  $\mathcal{U}_k$  such that, for every class  $B_j^k$ , and writing  $y$  for  $b_j^k$ ,*

$$\forall x \in B_j^k \quad \forall w \in M^{*C} \quad \Pr_{\mathcal{U}_k}((x, w) \models \diamond(y^k, w_y^k)) = 1 \quad (*)$$

In other words, at step  $k$  of the construction there exists a scheduler that, starting from a location  $x$  with arbitrary channel content, ensures that (with probability one) we will visit the  $k$ -th configuration on  $\pi_y$  where  $y$  is the representative for  $x$  in  $\mathcal{P}_k$ . When  $k$  is large enough, more precisely larger than

all  $|\pi_x|$ 's, (\*) states that  $\mathcal{U}_k$  guarantees reaching  $A$  (or  $B$ , depending on  $x$ ) with probability one, which concludes the proof of Lemma 3.5.

PROOF (OF LEMMA A.1). The proof is by induction on  $k$ .

We first prove the case  $k = 1$ . Let  $x$  be a location in some class  $B_i^1$  having ( $y =$ )  $b_i^1$  as representative. The behavior of  $\mathcal{U}_1$  is simple: in any configuration  $(z, v)$ ,  $\mathcal{U}_1$  fires  $\delta_z^0$ . Going on this way,  $\mathcal{U}_1$  eventually ends up in the strongly connected component (w.r.t  $f_1$ ). Because of the finite-attractor property, the configuration  $(y, \varepsilon)$  is visited infinitely often almost surely. Hence,  $\mathcal{U}_1$  will succeed in reaching  $(y^1, w_y^1)$  from  $(y, \varepsilon)$  by  $\delta_y^1$ .

Assume now that for some  $k \geq 1$  there exists  $\mathcal{U}_k$  ensuring (\*). We consider  $\mathcal{P}_{k+1}$  and build  $\mathcal{U}_{k+1}$ , using  $\mathcal{U}_k$ . Let  $x \in B_j^{k+1}$  (it may help to look at Figure 11). Starting from  $(x, w)$ ,  $\mathcal{U}_{k+1}$  behaves as  $\mathcal{U}_k$  until  $(y^k, w_y^k)$  is reached. Then it fires  $\delta_y^k$  and ends up in  $(y^{k+1}, w')$  for some channel content  $w'$ .  $y^{k+1}$  is a location of  $B_{i'}^k = f_{k+1}(B_i^k)$ ; let  $z = b_{i'}^k$  be its representative. From configuration  $(y^{k+1}, w')$ ,  $\mathcal{U}_{k+1}$  behaves again as  $\mathcal{U}_k$  and eventually reaches  $(z^k, w_z^k)$  with probability one. Iterating this process (alternation of  $\mathcal{U}_k$ 's behavior and one step transition),  $\mathcal{U}_{k+1}$  will eventually end in the strongly connected component of  $B_j^{k+1}$ . If  $t$  is the representative for this class in  $\mathcal{P}_{k+1}$ , because of the finite-attractor property  $(t, \varepsilon)$  is visited infinitely often, almost surely. Hence,  $\mathcal{U}_{k+1}$  will in the end succeed and reach  $(t^{k+1}, w_t^{k+1})$  using  $\mathcal{U}_k$  until  $(t^k, w_t^k)$  and then performing  $\delta_t^k$ .  $\square$

## REFERENCES

- ABDULLA, P. A., BAIER, C., PURUSHOTHAMAN IYER, S., AND JONSSON, B. 2005a. Simulating perfect channels with probabilistic lossy channels. *Inform. Comput.* 197, 1–2, 22–40.
- ABDULLA, P. A., BERTRAND, N., RABINOVICH, A., AND SCHNOEBELEN, PH. 2005b. Verification of probabilistic systems with faulty communication. *Inform. Comput.* 202, 2, 141–165.
- ABDULLA, P. A., ČERÁNS, K., JONSSON, B., AND TSAY, Y.-K. 2000. Algorithmic analysis of programs with well quasi-ordered domains. *Inform. Comput.* 160, 1/2, 109–127.
- ABDULLA, P. A., COLLOMB-ANNICHINI, A., BOUAJJANI, A., AND JONSSON, B. 2004. Using forward reachability analysis for verification of lossy channel systems. *Form. Methods Syst. Design* 25, 1, 39–65.
- ABDULLA, P. A. AND JONSSON, B. 1996a. Undecidable verification problems for programs with unreliable channels. *Inform. Comput.* 130, 1, 71–90.
- ABDULLA, P. A. AND JONSSON, B. 1996b. Verifying programs with unreliable channels. *Inform. Comput.* 127, 2, 91–101.
- BAIER, C., BERTRAND, N., AND SCHNOEBELEN, PH. 2006. A note on the attractor-property of infinite-state Markov chains. *Inform. Proces. Lett.* 97, 2, 58–63.
- BAIER, C. AND ENGELEN, B. 1999. Establishing qualitative properties for probabilistic lossy channel systems: An algorithmic approach. In *Proceedings of the 5th International AMAST Workshop Formal Methods for Real-Time and Probabilistic Systems (ARTS)*, Bamberg, Germany. Lecture Notes in Computer Science, vol. 1601. Springer, 34–52.
- BERTRAND, N. AND SCHNOEBELEN, PH. 2003. Model checking lossy channels systems is probably decidable. In *Proceedings of the 6th International Conference on Foundations of Software Science and Computation Structures (FOSSACS)*, Warsaw, Poland. Lecture Notes in Computer Science, vol. 2620. Springer, 120–135.
- BERTRAND, N. AND SCHNOEBELEN, PH. 2004. Verifying nondeterministic channel systems with probabilistic message losses. In *Proceedings of the 3rd International Workshop on Automated Verification of Infinite-State Systems (AVIS)*, 2004. Barcelona, Spain. R. Bharadwaj, Ed.
- BRAND, D. AND ZAFIROPULO, P. 1983. On communicating finite-state machines. *J. ACM* 30, 2, 323–342.



- CÉCÉ, G., FINKEL, A., AND PURUSHOTHAMAN IYER, S. 1996. Unreliable channels are easier to verify than perfect channels. *Inform. Comput.* 124, 1, 20–31.
- COURCOUBETIS, C. AND YANNAKAKIS, M. 1995. The complexity of probabilistic verification. *J. ACM* 42, 4, 857–907.
- EMERSON, E. A. 1990. Temporal and modal logic. In *Handbook of Theoretical Computer Science*, J. v. Leeuwen, Ed. Vol. B. Elsevier Science, Chap. 16, 995–1072.
- FINKEL, A. 1994. Decidability of the termination problem for completely specified protocols. *Distrib. Comput.* 7, 3, 129–135.
- FINKEL, A. AND SCHNOEBELEN, PH. 2001. Well-structured transition systems everywhere! *Theoret. Comput. Sci.* 256, 1–2, 63–92.
- GRÄDEL, E., THOMAS, W., AND WILKE, T., Eds. 2002. *Automata, Logics, and Infinite Games: A Guide to Current Research*. Lecture Notes in Computer Science, vol. 2500. Springer.
- KEMENY, J. G., SNELL, J. L., AND KNAPP, A. W. 1966. *Denumerable Markov Chains*. D. Van Nostrand Co., Princeton, NJ.
- MASSON, B. AND SCHNOEBELEN, PH. 2002. On verifying fair lossy channel systems. In *Proceedings of the 27th International Symposium on Mathematical Foundations of Computer Science (MFCS)*. Warsaw, Poland. Lecture Notes in Computer Science, vol. 2420. Springer, 543–555.
- MAYR, R. 2003. Undecidable problems in unreliable computations. *Theoret. Comput. Sci.* 297, 1–3, 337–354.
- PACHL, J. K. 1987. Protocol description and analysis based on a state transition model with channel expressions. In *Proceedings of the 7th IFIP WG6.1 International Workshop on Protocol Specification, Testing, and Verification (PSTV)*. Zurich, Switzerland. North-Holland, 207–219.
- PANANGADEN, P. 2001. Measure and probability for concurrency theorists. *Theoret. Comput. Sci.* 253, 2, 287–309.
- PURUSHOTHAMAN IYER, S. AND NARASIMHA, M. 1997. Probabilistic lossy channel systems. In *Proceedings of the 7th International Joint Conference on Theory and Practice of Software Development (TAPSOFT)*. Lille, France. Lecture Notes in Computer Science, vol. 1214. Springer, 667–681.
- PUTERMAN, M. L. 1994. *Markov Decision Processes: Discrete Stochastic Dynamic Programming*. John Wiley & Sons.
- RABINOVICH, A. 2003. Quantitative analysis of probabilistic lossy channel systems. In *Proceedings of the 30th International Coll. Automata, Languages, and Programming (ICALP)*. Eindhoven, NL. Lecture Notes in Computer Science, vol. 2719. Springer, 1008–1021.
- SCHNOEBELEN, PH. 2001. Bisimulation and other undecidable equivalences for lossy channel systems. In *Proceedings of the 4th International Symposium on Theoretical Aspects of Computer Software (TACS)*. Sendai, Japan. Lecture Notes in Computer Science, vol. 2215. Springer, 385–399.
- SCHNOEBELEN, PH. 2002. Verifying lossy channel systems has nonprimitive recursive complexity. *Inform. Proces. Lett.* 83, 5, 251–261.
- SCHNOEBELEN, PH. 2004. The verification of probabilistic lossy channel systems. In *Validation of Stochastic Systems—A Guide to Current Research*, C. Baier et al. Eds. Lecture Notes in Computer Science, vol. 2925. Springer, 445–465.
- VARDI, M. Y. 1985. Automatic verification of probabilistic concurrent finite-state programs. In *Proceedings of the 26th Symposium on Foundations of Computer Science (FOCS)*. Portland, OR. IEEE Computer Society Press, 327–338.
- VARDI, M. Y. 1999. Probabilistic linear-time model checking: An overview of the automata-theoretic approach. In *Proceedings of the 5th International AMAST Workshop Formal Methods for Real-Time and Probabilistic Systems (ARTS)*. Bamberg, Germany. Lecture Notes in Computer Science, vol. 1601. Springer, 265–276.

Received November 2005; accepted March 2006