

# Thermo-Chemo-Hydro-Geomechanical Model and Numerical Solution Strategy for Marine Gas Hydrate Geosystems with a focus on Gas Production and related Geohazards.

Shubhangi Gupta<sup>a</sup>, Christian Deusner<sup>a</sup>, Matthias Haeckel<sup>a</sup>, Barbara Wohlmuth<sup>b</sup>

<sup>a</sup>GEOMAR Helmholtz Center for Ocean Research Kiel, Germany

<sup>b</sup>Technical University of Munich, Germany

**Key words:** gas hydrate reservoirs, multi-physics, thermo-chemo-hydro-geomechanical model, poro-plasticity

## Abstract

Gas hydrates are crystalline solids formed when water molecules form a cage-like structure and trap a large number of gas molecules within [1]. Gas hydrates are thermodynamically stable under conditions of low temperature and high pressure and occur in nature typically in permafrost regions and marine off-shores [2]. If warmed or depressurized, hydrates destabilize and dissociate into water and gas.

It is widely believed that the energy content of methane occurring in the form of hydrates possibly exceeds the combined energy content of all other conventional fossil fuels put together [3]. Natural gas hydrates are, therefore, deemed a promising future energy resource, and it is of high interest to develop technically and economically feasible methods for producing methane gas from these reservoirs. Several methods have been proposed, such as, thermal stimulation, depressurization, and chemical activation [4, 5]. However, there are serious safety concerns regarding the inherent environmental and geotechnical risks associated with gas hydrate destabilization. When the gas hydrates form in natural sediments, they enhance the strength and stiffness of the sediment and prevent normal consolidation. During gas production, the loss of hydrates can cause rapid consolidation, uncontrolled sand migration, bore-hole instabilities and well collapse. The loss in the structural integrity of the sediment around the production well can seriously impact the local and regional slope stability, and in critical cases, it may even lead to extreme events like underwater landslides [6, 7]. Due to these process management and safety concerns, and large uncertainties associated with the properties, distributions, and hydro-geomechanical behavior of hydrate-soil fabrics, none of the proposed methods have reached the technical maturity which is necessary for large scale gas production, despite a considerable research effort in the past decades.

To make realistic assessments of the viability of any future technology for natural gas hydrate reservoirs, it is extremely important to develop mathematical models and numerical tools that can handle highly coupled multi-physics processes in complex geological settings, and reliably quantify the uncertainties in their predictions for the relevant production scenarios. Here, we present our modeling concept and numerical solution strategy for marine gas hydrate geosystems with a focus on gas production and geotechnical and environmental risks quantification. In this context, we describe natural gas hydrate reservoirs as highly complex geological porous medium characterized by large material heterogeneities, local anisotropies, and a large number of strongly coupled multi-physics processes, including: 1) kinetically driven hydrate phase change; 2) multi-phase, multi-component flows; 3) thermal effects; 4) geomechanical deformation and plastic failure of the sediment; and 5) sand migration due to volumetric and shear erosion.

In this presentation, we will describe our mathematical model, decoupling strategy, and numerical solution scheme, and we will show the applicability of our model and methods through the numerical simulation of high pressure flow-through tri-axial experiments [8, 9] and realistic gas production scenarios based on the geological setting of the gas hydrate reservoirs in the paleo Danube deep-sea fan in the Bulgarian sector of the Black Sea [10].

## References

- [1] E.D. Sloan. Gas hydrates: Review of physical/chemical properties, *Energ. Fuel.*, 12, 191–196, (1998).
- [2] R.A. Dawe and S. Thomas, A large potential methane source - natural gas hydrates, *Energ. Source Part A*, 29, 217–229, (2007).
- [3] E. Piero, M. Marquardt, C. Hensen, M. Haeckel, and K. Wallmann, Estimation of the global inventory of methane hydrates in marine sediments using transfer functions, *Bio-geosciences*, 10(2), 959–975, (2013).
- [4] G.J. Moridis, T.S. Collett, R. Boswell, M. Kurihara, M.T. Reagan, C. Koh, and E.D. Sloan, Toward production from gas hydrates: Current status, assessment of resources, and simulation-based evaluation of technology and potential, *SPE Reserv. Eval. Eng.*, 12, 745–771, (2009).

- [5] G.J. Moridis, T.S. Collett, M. Pooladi-Darvish, S. Hancock, C. Santamarina, R. Boswell, T. Kneafsey, J. Rutqvist, M.B. Kowalsky, and et al. M.T. Reagan, Challenges, uncertainties and issues facing gas production from gas hydrate deposits, *SPE Reserv. Eval. Eng.*, 14, 76–112, (2011).
- [6] N.C. Sultan, P. Canals, M. Cattaneo, A. Dennielou, B. Haffidason, H. Laberg, J.S. Long, D. Mienert, J. Trincardi, F. Urgeles, R.T.O. Vorren, C. Wilson, Triggering mechanisms of slope instability processes and sediment failures on continental margins: A geotechnical approach. *Mar. Geol.*, 213(1–4), 291–321 (2004a).
- [7] N.C. Sultan, P.J.P. Foucher, J. Mienert, Effect of gashydrates melting on sea floor slope instability. *Mar. Geol.*, 213(1), 379–401, (2004b).
- [8] C. Deusner, N. Bigalke, E. Kossel, and M. Haeckel, Methane production from gas hydrate deposits through injection of supercritical co<sub>2</sub>, *Energies*, 5(7), 2112–2140, (2012).
- [9] S. Gupta, C. Deusner, M. Haeckel, R. Helmig, and B. Wohlmuth, Testing a thermo-chemo-hydro-geomechanical model for gas hydrate-bearing sediments using triaxial compression laboratory experiments, *Geochem. Geophys. Geosyst.*, 18, 3419–3437, (2017).
- [10] T. Zander, C.C. Jung, M. Vanneste, C. Berndt, B. Carlton, J. Bialas, Potential impacts of gas hydrate exploitation on slope stability in the danube deep-sea fan, black sea, (2017,submitted).